

LEGACY OF INNO VATION





Global Presence



We are regularly exporting our products to the USA, UAE, Portugal, Spain, Africa, Asia, Qatar, Australia, UK, Gabon, Cameroon, Ivory Coast, Tema, Colombia, Nigeria, Thailand, Bangladesh, Nepal etc.

CERTIFICATIONS













































We VIRGO GROUP

At Virgo, quality is of utmost importance, we maintain the same in all business heads of ours. We never compromise on quality and that is why we are recognized as indisputable leaders of laminate, plywood, MDF, aluminium, PVC and ACP. Apart from our adherence to quality, our 32 years long experience trail help us deliver unmatched products to our customer. Be it laminate, plywood or aluminium products, for us, customer satisfaction is a barometer of our progress. In fact, we also focus on the overall development of society by favoring sustainable development. We are equivalent concerned about the environment, so we produce eco-friendly product that not harm nature.

Company Mission

- Exceeding Customer Expectations
- Innovation as Standard
- Exceptional Quality
- Sustainable Environmental Practices
- Transparent and Ethical Business Practices

Company Overview

Virgo Aluminium Limited was established in the year 1989 in Gujarat, India. We are a professionally managed manufacturer, exporter and supplier of aluminium products. We have varieties of products for our customers and clients. All our products are of premium grade. We endeavour to revolutionize in the industry by fabrication a wide gamut of quality products. The products of our company have gained us huge recognizance for its high strength, wear and tear resistance, flexibility, accurate dimension and durable finish. These products can be used for various applications in different sectors. We have successfully earned a huge client base.

Company Vision

Virgo Aluminum Gujarat aims at becoming the foremost choice for aluminum flat rolled products, setting new standards for reliability in domestic and global markets.



588+
Distributors
Channel Nodes

45+ Branches

32+ Years

9700+
Network fabricators



24000+ Architect Interior Designers Production Capacity of

149+ Million

against Laminator Appually

Manufacturing Plants





Aluminium Cast Coil

Our cast coils have uniform and bright surface finishes, moreover, they also meet all international standards for dimensional tolerances and metallurgical properties.

End Use Applications Re-rolling

Alloys	1050, 1060, 1100, 3003, 3004, 3005, 3105, 5005, 8011	
Finish	Mill Finish	
Thickness	6.35mm - 8.0mm	
Width	915mm - 1525mm	
Temper	F	
Packing	Standard, Wooden & Sea-worthy packing for export	

Note: Custom Production Possible



Aluminium Coil

Engineered for precision, our cold-rolled aluminium coils stand out with their exceptionally consistent and table top surface. These sheets are rigorously fabricated to surpass global benchmarks in both dimensional exactitude and alloy quality. Tailoring to diverse industry needs, we also offer bespoke solutions, adjusting alloy composition, mechanical properties, and surface treatment to precisely fit unique client specifications.

End	Use Applications Architectural Transport Body Fan Blade
— CG	eneral Engineering — Marine — Printed Circuit Board Panel — Electrical & Electronics
$-\sqrt{\ln}$	sulation — Ceiling Panels — Dish Antenna

Alloys	1050, 1060, 1100, 3003, 3004, 3005, 3105, 5005, 8011	
Finish	Mill Finish	
Thickness Range	0.12mm - 6.0mm	
Width	650mm - 1525mm	
Temper	F, H12, H14, H16, H18, H24, H26, H28, O	
Packing	Standard, Wooden & Sea-worthy packing for export	



LEGACYOF INNOVATION _____



Aluminium Sheets

Our aluminum exceptionally flat sheets feature a smooth mill finish with precise dimensions, ensuring quality and consistency. Made to international standards, they are produced in various alloy compositions and mechanical properties, tailored to fit specific needs. This balance of customization and standardization makes our sheets versatile for diverse applications.


End Use Applications	Architectural Transport Body Fan Blade
— General Engineering —	Marine Printed Circuit Board Panel Electrical & Electronics
— Insulation — Ceiling P	anels — Caul Board — Formwork — HSRP

Alloys	1050, 1060, 1100, 3003, 3105, 5005, 8011	
Finish	Mill Finish	
Thickness Range	0.60mm - 8.0mm	
Width	850mm - 1525mm	
Length	Upto 6 metres standard	
Temper	F, H14, H16, H18, H24, H26, H28, O	
Packing	Standard, Wooden & Sea-worthy packing for export	

Note: Custom Production Possible







Aluminium Pattern Sheets and Coil

Patterned sheets are primarily used for flooring as they are anti-skid due to treads. Our pattern sheets have a high strength to weight ratio, good welding and forming properties. We supply this product in two different patterns - Five Bar and Diamond. Apart from standard specifications, we can supply pattern sheets in customized alloys and sizes.

End Use Applications

General Engineering Flooring Sheets for Bus Trucks Railways Interior Designing

Alloys	1100, 3003, 3105, 5005, 8011	
Finish	Mill Finish	
Thickness Range	0.60mm - 8.0mm	
Width	850mm - 1525mm	
Length	Max length 6 metres	
Temper	F, H14, H16, H18	
Packing	Standard, Wooden & Sea-worthy packing for export	





LEGACYOF INNOVATION



Aluminium Stucco Embossed Sheets


Aluminium Stucco Sheet is a lightweight and decorative sheet that can be easily formed into different shapes. It is used in construction, packaging, curtain walls, elevators and other various uses. Stucco is energy efficient and provides insulation for the building or home, helping to cut these costs. In addition to the practical reasons to use it, stucco also provides an aesthetic style to buildings.

End Use Applications

— Transportation	Ducting for HVAC	Interior Designing
The second state of the se	· Production of the control of the c	* A CONTRACTOR OF THE PROPERTY

Alloys	1100, 3003, 3105, 5005, 8011	
Finish	Mill Finish	
Thickness Range	0.2mm - 0.71mm	
Width	850mm - 1525mm	
Length	Max length 6 metres	
Temper	F, H14, H16, H18, O	
Packing	Standard, Wooden & Sea-worthy packing for export	

Note: Custom Production Possible



Aluminium Roofing

We manufacture roofing sheets in mill finish as well as colored form with RMP, SDP and PVDF coating. Our roofing sheets are available in various profile shapes, such as circular corrugated and industrial troughed (trapezoidal). Aluminium roofing sheets are the preferred choice for roofing applications because they are light-weight, corrosion resistant and has a very high resale value compared with other roofing solutions like galvalume and asbestos roofing sheets.

End Use Applications

 Industrial Sheds) 	— Insulated Roofing)—	Wall Cladding)	Residential Roofing

Alloys	1100, 3003, 3105, 5005, 8011	
Finish	Mill Finish	
Thickness	0.45 - 1.22mm	
Width	1044mm after profiling	
Length	6 metres	
Temper	H16, H18	
Packing	Standard, Wooden & Sea-worthy packing for export	





LEGACYOF INNOVATION.



Aluminium Foil Stock, SRC & Fin Stock


SRC foils and fin stock are used across critical segments, we ensure our products exceed the quality expectations of each of our customers. With high quality engineering, our foil stock are manufactured to the utmost precision standards.

End Use Applications Semi-Rigid Containers) ¬ Home Foil Air Conditioner)

	SRC	FIN STOCK	FOIL STOCK
Alloys	1050, 1100, 8006	1050, 1100, 8011	1050, 8011
Finish	BSB	BSB	Mill
Thickness Range	0.32mm-0.50mm	0.32mm-0.50mm	0.35mm and above
Width	200mm-950mm	290mm - 450mm	900mm-1500mm
Temper	H24, O	H22, H24, H26, O	H14
Packing	Standard, Wooden & Sea-worthy packing for export		

Note: Custom Production Possible







Cable Tape / Cable Wrap

Our cable tape stock meets all domestic and international standards and is used by most of the major cable manufactures globally. Being made from pure ingots and processed through our latest equipment, our product have excellent UTS, elongation and length requirements that meet the needs of the cable industry.

End Use Applications Electrical Cable Manufacturing

	CABLE TAPE	CABLE WRAP	
Alloys	1050	8011	
Thickness Range	1.30 mm - 3.0 mm	0.15 mm - 0.3 mm	
Width	915mm - 1525mm (Trimmed)	46mm (Min)	
Temper	0	0	
Coil (ID)	508 mm	152 mm	
Coil (OD)	1400 (Max) for thickness 1.30-1.90	As per requirement and conformation from technical team	
	1500 (Max) for thickness 2.00-3.00		
Packing	Standard, Wooden & Sea-worthy	Standard, Wooden & Sea-worthy packing for export	







LEGACYOF INNOVATION _____



Multi-Slit Coils

Virgo aluminium multi-slit coils are very well suited to be used in heat exchangers and transformers. Made under our strict quality control systems and with cutting-edge equipment, our material meets all the domestic and international standards in terms of build-up, tolerances and other specifications.

End Use Applications	Heat Exchangers	Transformers

Alloys	1050, 1060, 1100, 3003, 3004, 3005, 3105, 5005, 8011	
Thickness Range	0.20 mm - 1.00 mm	
Width	Minimum 45mm	
Coil (ID)	508 mm	
Coil (OD)	1200 mm	
Packing	Standard, Wooden & Sea-worthy packing for export	

Note: Custom Production Possible





Color Coated Coils / PPAL


Our pre-coated / pre-painted aluminium is a versatile offering with applications ranging from facade to roofing across various architectural and engineering use cases. Our color coated coil is the most preferred among the top ACP manufacturers globally. Apart from the high-quality aesthetics that our coated coils offer, they add immense value in enhancing durability and long-term performance of the building envelope against the harshest environmental conditions.

Technical Specifications

- Alloys as shown in aluminium coils section.
- Width from 900 mm 1270 mm
- Thickness from 0.12 mm 1 mm
- Coating types PE / RMP / HDPE / PVDF / FEVE up to 4 layers
- Both side coating compatible infrastructure
- All colors and gloss levels (RAL and Pantone)









Aluminium Composite Panels

Virgo Aluminium is one of the largest ACP Sheet Manufacturers based in India and offers premium quality ACP panels in a visually striking palette of colors and textures. Ideal for external cladding, interior application and signage, the composite panels by Virgo help create visual aesthetics that enhance the appearance of any space. Highly durable, stain-resistant, and weatherproof, these ACP sheets are the epitome of our creativity and hard work.

Alloys	1100, 3003, 3105, 5005
Thickness Range	2mm, 3mm, 4mm, 6mm HPL
Width	1525 (Maximum)
Length	Cut to Order
Fire Retardant Grade	FRA2, FRB1
Warranty	Up to 12 years







CORPORATE OFFICE

Unit No. 406, 4th Floor, Rectangle One Building, Saket District Centre, New Delhi-110017

FACTORY

Kheda by pass. Taluka matar, Sokhda, Kheda, Gujarat - 387570

Email: care@virgoasia.com **Web:** www.virgolam.com

Contact: +91 98327 22222