

**TEK  
BOND**  
SAINT-GOBAIN

# Wide Range of Quality Adhesives, Sealants, Color Sprays and Tapes



## Hunar ka Saathi

Transforming  
surfaces  
...and beyond

  
SAINT-GOBAIN



Saint-Gobain is present in 76 countries with over 1,66,000 employees. Saint-Gobain designs, produces, and distributes materials and solutions designed for the well-being of everyone and the future of all. These materials are found everywhere in our home and our daily life: building, transport, infrastructure, as well as in many industrial applications. They bring comfort, performance and security while meeting the challenges of sustainable construction, effective resource management and climate change.

Tekbond is a part of Saint-Gobain High Performing Solutions. It was launched in India in the year 2018. Tekbond business is built on lasting relationships and strong partnerships supported by a wide range of adhesives, sealants, sprays, and tapes used for construction and industrial application.

Through continuous innovation and cutting-edge technology, we have established a strong brand image for quality products that make us the preferred choice. Tekbond aims to promote talent and art in India in line with our global focus. As a company, we strive to make our solutions easy for applicators and users to use, enabling them to enhance their creative skills, thereby fulfilling our mission of being 'Hunar ka Saathi' – "Partnering Talent with Quality Solutions."





# SEALANTS



**Hunar ka Saathi**



# SEALANTS

## ACETIC SILICONE SEALANT (GP)



Ideal for sealing windows and joints between smooth materials such as: aluminum frames, glass, tiles, sinks and bathroom furniture in general where there is a high percentage of humidity. They form a durable, resistant and economical seal.



- Kitchen Corners, Storage Compartments, Modular Counter



- Bathtub, Shower Cubicle, Wash Basin, Exhaust Windows



- Sealing around Doors, Windows, Joints between Wall and Floor Tiles

**Color** - ☐ White ☒ Black ☐ Transparent

**Pack Size** - 260 ml Cartridge

## NEUTRAL CURE SILICONE SEALANT



High-performance silicone sealant with waterproofing properties for all-purpose usage that dries in the presence of humidity to form a long-lasting, elastic rubber.



- Tiles, Ceramics, Glazed Bricks



- Surfaces of Bathroom, Windows, Kitchen



- Stainless Steel, Aluminium, Painted Woods

**Color** - ☐ White ☒ Black ☐ Transparent

**Pack Size** - 280 ml Cartridge

## NEUTRAL WEATHERPROOF SILICONE SEALANT



Neutral Weatherproof Silicone Sealant is a high-performance sealant ideal for both interior and exterior construction applications. This sealant is designed to withstand all weather conditions, providing reliable and durable sealing solutions.



- Sealing around Doors and Windows, Joints between Wall and Floor Tiles



- Outdoor ACP Panel & Glazing Gap Filling Application



- Kitchen Corners, Storage Compartments, Modular Counter, Bathtub, Shower Cubicle, Wash Basin, Exhaust Windows

**Color** - ☐ White ☒ Black ☐ Transparent ☒ Light Brown  
☒ Dark Brown ☐ Light Grey ☒ Dark Grey

**Pack Size** - 280 ml Cartridge, 590 ml Sausage



## WINDOW SEALANT



Window sealant is used for general purposes. Its advantages include being solvent-free, water-resistant, low odor, paintable, resistant to UV rays, and non-corrosive to metal.



- Ducts and Vents



- Siding and Trims



- Door and Window, Ceiling and Wall Joints

**Color** - ☐ White

**Pack Size** - 280 ml Cartridge

## ACRYLIC SEALANT



Ideal for interior applications, Tekbond's Acrylic Silicone Sealant seals gaps in kitchen corners, storage compartments, modular counters, and floor tiles. Versatile and reliable, it is also perfect for construction projects, ensuring durable joins.



- Crack Filling in Walls, Doors and Windows



- Joints between Skirting Boards-floor



- Seals Gaps in Modular Counters, and Floor Tiles.

**Color** - ☐ White ☒ Black

**Pack Size** - 280 ml Cartridge

## PU EXPANSION FOAM



PU Expansion Foam, suitable for Interior Application. It works well for caulking, repairing, and insulating window and door frames. Smooth application on ACP panels, concrete, glass, metal, and wood.



- Wood, Glass, Metal, Concrete, Stone, ACP Panel



- Fixing, Filling and Insulating of Door and Window Frames



- Insulation of Wall Panels, Corrugated Sheets, Roof Tiles, Ducts, Vents

**Color** - ☐ Beige ☒ Pink **Pack Size** - 750 ml Aerosol can

**Grades** - High Performance, General Purpose, Fire Resistant & High Yield



## RTV SILICONE SEALANT HIGH TEMPERATURE

RTV Silicone High Temperature is ideal for automotive and industrial applications. It can be used for oil pans, transmission pans, valve covers, valves and guides, timing gear covers, and differential covers.



- Assembly as a Form-in-place Gasket and in Gasket Dressing



- Sealing for Various Installations of Door and Windows



- Oil Pans, Transmission Pans, Valve Covers, Valves and Guides, Timing Gear Covers, Differential Covers,

**Color** -  Grey  Red  Transparent

**Pack Size** - 25 g Tube, 85 g Tube

## PU 25



PU 25 is appropriate for construction application. Performs effectively on ACP panels, metal etc



- Concrete, Stone



- Wood, Metal, Glass, ACP Panel



- Expansion Joints and Facade Joints

**Color** -  White  Black  Grey

**Pack Size** - 600 ml Sausage

## PU 40FC



PU 40FC is ideal for Industrial and Automotive applications. Smooth application on wood, metal and glass.



- Wood, Metal, Glass



- Air Conditioning, Refrigerating Chambers



- Automotive Bodyworks, Seam Sealant

**Color** -  White  Black  Grey

**Pack Size** - 600 ml Sausage

## PU 55



PU 55 is ideal for Industrial and Automotive application. Smooth application on wood, metal and glass. Also used for Automotive Bodyworks. Air conditioning, Refrigerating chambers.



- Windshield Pasting



- Bodywork and Trunks



- Glass and Aluminium Bonding

**Color** -  Black

**Pack Size** - 310 ml Cartridge, 600 ml Sausage





# ADHESIVES



**Hunar ka Saathi**



# ADHESIVES

## EDGE BANDING GLUE

Edge Banding Glue is used for Manual Edgebanding, Lamination. Smooth application on Plywood, PVC Edgebands, Acrylic sheets, Laminates.



- Plywood, Laminates



- Manual Edgebanding, Lamination



- PVC Edge Bands, Acrylic Sheets

**Color -** ☐ White

**Pack Size -** 500 g, 1 kg , 5 kg

## SUPER RAPID D2



D2 Wood Adhesive is a high strength, water proof and quick dry wood adhesive. It is a water based product and environmental friendly.



- Water Based Product



- Friendly to the Environment



- Waterproof, High-Strength, Quick Dry, Transparency

**Color -** ☐ White

**Pack Size -** 10 kg, 20 kg, 50 kg

## SUPER RAPID D3

Appropriate for Furniture manufacturing, decorative industry, face gluing/ laminating, finger jointing, doweling, veneering. Applicable on wood, fiber board, ornamental plates, fabric, and paper.



- Wood to Wood, Fibre Board, Decorative Plates Cloth, Paper



- Finger Jointing, Doweling and Veneering



- Furniture Manufacturing, Decorative Industry, Face Gluing / Laminating

**Color -** ☐ White

**Pack Size -** 1 kg, 2 kg, 5 kg, 10 kg, 20 kg, 50 kg Drum





## SUPER RAPID WR



Super Rapid Water Resistant is a high performance glue that provides great binding strength and good water resistance. High coverage, quick setting, and ease of cleaning makes it perfect for variety of uses.



- Excellent Coverage



- High Bonding Strength



- Advance Formulation

**Color** -  White

**Pack Size** - 800 g, 20 kg, 50 kg

## HOTMELT ADHESIVE (EDGEBOARDING GLUE)



High-Performance Adhesive, used for edgebanding for furniture, modular kitchen and cupboard. Works well on PVC/ ABS, Edge Bands, Plywood, MDF, Particle Board.



- PVC/ABS, Edge Bands



- Plywood, MDF, Particle Board



- Edgebanding for Furniture, Modular Kitchen & Cupboard

**Color** -  Semi Transparent White  Beige  Coffee Brown  Pure White  Pink  
 Crystal Clear Transparent  Yellow Crystal Clear  Black  Natural White

**Pack Size** - 25 kg

**Grades** - Automatic Machine and Manual Machine

## SPRAY ADHESIVE



High performing Spray adhesive ideal for synthetic wood, wood, vinyl flooring, foam, plaster board, and paper among other materials.



- Synthetic Wood, Wood, Vinyl Flooring



- Foam, Plaster Board



- Paper among other materials

**Pack Size** - 500 ml



## NAILFIX ADHESIVE



Ideal for Decoration, DIY and Repair Work. Can be applied on Metal Frames, ACP panels, Baseboards, Plywood, Brick, Stone, Granite and Tile.



- Metal Frames, ACP Panels, Baseboards



- Decorations, DIY and Repair Work



- Plywood, Brick, Stone, Granite and Tile

**Color -**  Beige

**Pack Size -** 280 ml Cartridge

## FIX MIRROR



Fix Mirror adhesive, specially designed for mirrors, offers high coverage, moisture resistance, fast curing, and is mirror-compatible. It is suitable for use with mirrors, lacquered glass, toughened glass, plywood, and MDF board.



- Smooth and Porous Substrates like Walls



- Ceramics, Metals Wood, Masonry.



- Plywood and MDF board

**Color -**  Transparent

**Pack Size -** 280 ml Cartridge

## MS HYBRID ADHESIVE



Suitable for Bonding and Sealing application for both interior and exterior of buildings. Applicable on Concrete, Metal, Glass, wood, FRP, select plastics, composites, masonry and brick stone. Additionally, it works well for Bus, Truck and Trailer Skin bonding.



- Bonding and Sealing Application for Interior & Exterior of Buildings



- Bus, Truck & Trailer Skin Bonding



- Composites, Metals, Wood, FRP, Glass, Select Plastics, Concrete, Masonry and Brick Stone

**Color -**  White  Black

**Pack Size -** 85 g Tube, 280 ml Cartridge, 600 ml Sausage



## TEKFAST SUPER QUICK GLUE



Tekfast Super Glue is ideal for Bonding Metal Frame, to vinyl and other signage boards, also used for Manufacturer of acrylic gifts items and table top display items, tyre, tube and footwear bonding.



- Wood, Metal, Rubber, Tyre, Tube and Footwear Bonding



- Manufacturer of Acrylic Gift Items & Table Top Display Items



- Bonding Metal Frame to Vinyl & other Signage Boards

**Color** - ☐ Transparent

**Pack Size** - 20 g Bottle

## TEKWOOD



TekWood is an high performance instant wood filler, also works well for leather, rubber, flex, ceramic and acrylic.



- Instant Wood Filler



- Leather, Rubber, Flex



- Ceramic and Acrylic.

**Color** - ☐ Transparent

**Pack Size** - 20 g, 50 g Bottle

## 793 FIX ALL



793 Fix All, used for general repairing and Bonding of domestic electrical appliances. Can be applied on wood, metal, rubber, compounds (EPDM, Nitrile, Rubber, EVA)



- Tiles, Ceramics, Glazed Bricks



- Bathroom, Kitchen, & Window Surfaces



- Stainless Steel, Aluminium



- Painted Woods

**Color** - ☐ Transparent

**Pack Size** - 20 g Bottle



## RETAINER (160)



Retainer (160) offers high strength and quick holding with good impact resistance. It has medium viscosity, making it easy to join dissimilar metals. Suitable for most general-purpose bearing applications, it increases the structural integrity of bearing assemblies.



- High Strength & Quick Holding



- Versatile & Enhances Integrity



- Impact Resistant & Medium Viscosity

**Pack Size - 50 ml Bottle**

## THREADLOCKER (116)



Thread Locker 116, medium strength, is suitable for assemblies requiring Dis-assembly. It can tolerate temperature of up to 200°C and locks and seals coarse threaded studs with reliability. Ensure the safety of your assembly with assurance.



- High Temperature Resistance



- Deal for Assemblies



- Medium Strength Thread Locker

**Pack Size - 50 ml Bottle**

## RUST PENETRANT LUBRICANT



Rust Pentrent is a multipurpose aerosol spray that can be used in both residential and commercial properties for lubrication and rust prevention. When exposed to corrosive environments, rust penetrant produces thin, waxy layers that offer remarkable protection for ferrous metal surfaces. It has the ability to displace water, separate water, and not stain. It also gives moving parts excellent lubrication.



- Industries



- Homes



- Ferrous Metal Surfaces.

**Pack Size - 80 ml, 425 ml**







# COLOR SPRAY

**Hunar ka Saathi**



# COLOR SPRAY



Color Spray offers high coverage, fast drying, multi surface usage and superior finish. It is applicable on Wood, Metal or iron gate, canvas and paper.



• Industries



• Homes



• Ferrous Metal Surfaces.

Pack Size - 400 ml

## Hunar ka saathi


### General Purpose



**Black Matt**  
RAL1500  
JL401



**Black Gloss**  
RAL9017  
JL402



**White Gloss**  
RAL9017  
JL403



**Aluminum**  
RAL9006  
JL404



**Red**  
RAL3020  
JL405



**Yellow**  
RAL1028  
JL407



**Blue**  
RAL5005  
JL408



**White Matt**  
RAL9016  
JL409



**Orange**  
RAL2004  
JL411



**Green**  
RAL6029  
JL412



**Lacquer**  
JL413



**Brown**  
RAL8017  
JL422



**Oxide Red**  
RAL3009  
JL430



**Maze Yellow**  
RAL1006  
JL431



**Wine Red**  
RAL3005  
JL432



**Grey**  
RAL7032  
JL433



**Carmine Red**  
RAL3002  
JL434



**Oyster White**  
RAL1013  
JL435



**Ivory White**  
RAL1015  
JL444



**Cream Yellow**  
RAL090 90 20  
JL445



**Cream White**  
RAL090 93 05  
JL446



**Diamond Blue**  
RAL260 50 40  
JL447



**Anti Rust**  
RAL030 40 20  
JL448



**Cerulean Blue**  
RAL220 60 40  
JL449



**Haier Grey**  
RAL080 70 05  
JL450



**Isuzu Sand Yellow**  
RAL956020  
JL451



**Light Green**  
RAL180 80 30  
JL452



**Naval Grey**  
RAL160 70 05  
JL453



**Peach Red**  
RAL010 60 45  
JL454



**Toyota White**  
RAL100 90 10  
JL455



**Suzuki Red 131**  
RAL030 50 60  
JL457



**Sky Blue**  
RAL5015  
66254431117



**Yellow Green**  
RAL6018  
66254431118



## SUBSTRATES



**Wood**



**Metal or  
Iron Gate**



**Canvas**



**Paper**

## FEATURES



**Multi-Surface  
Usage**



**Fast Drying**



**Superior  
Finish**



**High  
Coverage**

## Special Color



**Fluro-Green**  
JL414



**Fluro-Yellow**  
JL415



**Fluro-Orange**  
JL416



**Fluro-Pink**  
JL417



**Fluro-Red**  
JL423



**Fluro-Violet**  
JL424



**Honda Red 67**  
RAL3020 P  
JL425



**Honda Red 801**  
RAL020 50 58  
JL426



**Honda Blue**  
RAL260 40 45  
JL427

## Metallic



**Bright Gold**  
RAL085 70 40  
78072757952



**Rose Gold**  
78072770857



**Sparkle Gold**  
RAL1018  
78072770859



**Orange Gold**  
RAL8030  
JL428



**Metal-Chrome**  
RAL7004  
JL420



**Metal-Silver**  
RAL7044  
JL421



**Fine Silver**  
RAL7040  
JL441



**Imitation SLR**  
RAL7005  
JL442



**Moly Red**  
RAL2002  
JL443



**Graphite**  
RAL240 60 05  
JL456



**Bright Chrome**  
RAL7004  
JL458



**Copper**  
RAL8023  
JL459



**Zinc  
Galvanizing**  
JL460



**Jet Black**  
RAL9005  
66254431116

## High Temperature



**Black Gloss**  
RAL9005  
JL418



**Black Matt**  
RAL9011  
78072747411



**Aluminum**  
RAL9006  
JL419



## APPLICATOR GUN



- For applying low and medium viscosity sealants packaged in cartridges up to 300 ml



- For applying low and medium viscosity sealants packaged in Sausage up to 600 ml

## MIRROR MOUNTING TAPE



Mirror mounting tape is a multipurpose mounting tape that can be used to mount anything, including mirrors, signs, wall displays, kick panels, and many more.



- Mirror, Signs, Wall Displays



- Kick Panels, Appliance Emblems



- Circuit Board Mounts

**Pack Size** - 24 mm x 5 mtr  
12 mm x 5 mtr

## PANEL BOND TAPE



Used for fixing ACP panel and gluing logos, name plates, and plastic panels to metal frames. Efficient on surfaces made of wood, metal, and glass.



- Acrylic Poly Carbonate



- Architectural Signs to Frame



- Unpainted Aluminium & Steel, Metals, Plastics

**Pack Size** - 1.2 mm X 12 mm X 5 mtr

**Color** -  Grey

## ACRYLIC CLEAR TAPE



Acrylic clear tape is a clear masking tape used for paint masking, wood working, auto painting, sealing and bundling & holding.

**Pack Size** - 1mm X 12mm X 4 mtr


**Color** -  Transparent





## ACRYLIC FOAM TAPE

Ideal for bonding emblems, name plates, plastic panels to metal frames, and ACP panel fixing. Effective on glass, metal, and wood surfaces.



- Wood, Metal and Glass Surfaces



- ACP Panel Fixing



- For Bonding Emblem, Name Plate, Plastic Panels to Metal Frame

**Color** - ☒ Grey ☐ Transparent

**Pack Size** - 1.2 mm X 12 mm X 7.5 mtr    2 mm X 8 mm X 5 mtr  
2 mm X 8 mm X 5 mtr    2 mm X 12 mm X 5 mtr  
1 mm X 16 mm X 10 mtr    1 mm X 12 mm X 10 mtr  
1 mm X 6 mm X 10 mtr

## MASKING TAPE



Masking Tape, is appropriate for Paint masking, and holding application. It can be used on wood, non-ferrous, rubber, glass and plastic.



- Architectural Signs to Frame



- Acrylic Poly Carbonate



- Unpainted Aluminium & Steel, Metals, Plastics.

**Pack Size** - 18 mm X ( 20/25/30/40 ) mtr  
24 mm X ( 15/20/25/30/40 ) mtr  
36 mm X 20 mtr  
48 mm X 20 mtr

## CRACK FILLER



- Windows, Doors, Frames, Corners



- Mouldings, Joints



- Baseboards, Vents, Siding, Trim, and Other Gap

**Color** - ☐ White

**Pack Size** - 1 kg Tub





## Corporate Office Address

5<sup>th</sup> Level, Leela Business Park, Andheri Kurla Road, Marol,  
Andheri (East), Mumbai 400 059

---

Help us serve you better  
Call us on 1800 3000 8199

---

Write to us at  
[tekbond.india@saint-gobain.com](mailto:tekbond.india@saint-gobain.com)  
[www.tekbond.com](http://www.tekbond.com)



/tekbondindia\_



/TekbondIndia



/Tekbond-India

## Hunar ka Saathi

