



AEROMATIC[®]


ENGINEERING

It's whats inside that counts.

■ Mfg. of Aluminium Section Machinery ■ SPM Type Machinery for all Industries

DIE PUNCHING MACHINE

AEPM - 07



Bar | Air Cons.
6 - 8 | 100 L/min



W x L x H cm
26 x 21 x 65



200



GENERAL FEATURES

- Very Heavy Duty Machine with Special Plate Mounting arrangement upto 1mm to 2.5 mm punching thickness is possible for any PVC and Aluminium Profile System.
- Any Customization with Die is possible.
- Compact, Sleek and Rigid MS Structure ensuring long term error free running of machine.
- Any Seven Dies can be insert in the machine.
- Any Customized or Regular mould is possible.
- Easy to move on Sitr and Factory Operation.
- Robust Machine Stand.



AEROMATIC
ENGINEERING®

DIE PUNCHING MACHINE

AEPM - 04



Bar | Air Cons.
6 - 8 | 100 L/min



W x L x H cm
22 x 16 x 50



150

GENERAL FEATURES

- Very Heavy Duty Machine with Special Plate Mounting arrangement upto 1mm to 2.5 mm punching thickness is possible for any PVC and Aluminium Profile System.
- Any Customization with Die is possible.
- Compact, Sleek and Rigid MS Structure ensuring long term error free running of machine.
- Any Seven Dies can be insert in the machine.
- Any Customized or Regular mould is possible.
- Easy to move on Sitr and Factory Operation.
- Robust Machine Stand.



AEROMATIC[®]
ENGINEERING

COPY ROUTER MACHINE

AECR - 01



GENERAL FEATURES

- Opening Locks, Drilling Handles, Hinges, Espagnolette and Barrel Holes etc. on PVC and Aluminium Profiles.
- Clamping Capacity : WMAX-160, WMIN-10 HMAX-150, HMIN-10 mm
- Corrosion Proof Bearing Shaft.
- Robust Machine Stand.
- Electroplated Cop Template.
- Ø6 x8 x14 xL60 mm Router bits included.

STANDARD ACCESSORIES

- Spray Tool Lubrication System.
- Ø6 x8 x14 xL60 mm of Router Bit.
- 2x Pnuematic Horizontal Clamps.
- Air Gun.



0.75 HP - 440 V
DC - 1.3 AMP



6000
RPM



Bar	Air Cons.
6 - 8	100 L/min



W x L x H cm
32 x 24 x 68



14.0

SINGLE HEAD CUTTING MACHINE

AECM - 16



GENERAL FEATURES


- One Hand Safety Operation
- Pivoting range from -60° to $+60^{\circ}$
both left and right infinitely adjustable
- Hydro-Pneumatic Saw Feed
- Adjustable Saw Blade Feeding Speed
- Safety Locking Switches on
Top Guard and Front Doors
- Manually Opening and Closing Safety Guard

STANDARD ACCESSORIES

- Equipped with Saw Blade
 $\varnothing 500$ mm and 2.5 kw Motor
- Spray Saw Blade Lubrication System
- 2x Vertical and 1x Horizontal Clamps
- Air Gun



2 HP - 440 V
PHASE - 3 - 3.5 AMP



D: \varnothing 400 MM
d: \varnothing 30 mm



2800
RPM



Bar | Air Cons.
6 - 8 | 180 L/min




W x L x H cm
26 x 46 x 57



200

SINGLE HEAD CUTTING MACHINE

AECM - 20



GENERAL FEATURES


- One Hand Safety Operation
- Pivoting range from -60° to $+60^{\circ}$
both left and right infinitely adjustable
- Hydro-Pneumatic Saw Feed
- Adjustable Saw Blade Feeding Speed
- Safety Locking Switches on
Top Guard and Front Doors
- Manually Opening and Closing Safety Guard

STANDARD ACCESSORIES

- Equipped with Saw Blade
 $\varnothing 500$ mm and 2.5 kw Motor
- Spray Saw Blade Lubrication System
- 2x Vertical and 1x Horizontal Clamps
- Air Gun



1.5 HP - 440 V
PHASE - 3, 2.5 AMP



D : \varnothing 500 MM
d : \varnothing 30 mm



2800
RPM



Bar | Air Cons.
6 - 8 | 180 L/min



W x L x H cm
33 x 38 x 55



220

END MILLING MACHINE

AEEM - 01



GENERAL FEATURES


- High Quality End-Milling Operations thanks to the Hydro-Pneumatic System.
- Fixing the workpiece firmly thanks to the Vertical and Horizontal Clamps.
- Practical Cutter adjustment by means of the spacer parts.
- Adjustable support system to six different profiles.
- End Milling of PVC and Aluminium Mullions between 90°
- Maximum End Milling Capacity H-90 x W-150 mm
- Profile Clamping Capacity H-150 x W-180 mm
- Safety Operations with Safety Guard
- Maximum Cutter Diameter : $\varnothing 130$ mm
- Storage Place for Spare Tools
- Quick Tool Change System
- Robust Machine Stand

STANDARD ACCESSORIES

- Spray Tool Lubrication System.
- 1x Pneumatic Vertical Clamp
- 1x Pneumatic Horizontal Clamps.
- Air Gun.



1.5 HP - 440 V
DC - 2.5 AMP



D Max : $\varnothing 130$ MM
d : \varnothing



2800
RPM



Bar | Air Cons.
6 - 8 | 100 L/min



W x L x H cm
34 x 24 x 45



120



Prashant Siddhapura ☎ **98258 44417** | Bharat Siddhapura ☎ **98246 44417**

📍 Plot No. F - 37, City Industrial Estate, Road No. 6 G, Udhna, Surat, Gujarat - 394 210

🌐 www.aeromaticeng.com ✉ aeromaticeng@gmail.com