

ALUMINIUM DOOR & WINDOW HARDWARE



PRODUCT LIST 2025-2026

About us

"Leadership is the element that shows the way, that sets the pace. At AI Window Solution, we are led with courage, knowledge, experience, and action."

AI Window Solution made its presence known in 2018 as a window hardware fitting company. AI Window Solution is a globally recognized manufacturer of sliding window and door fitting hardware.

We are a professionally managed, ISO 9001-approved firm. Perfection in design, stringent quality checks at every manufacturing stage, unmatched performance, and prompt after-sales service are some of the salient features of our business. Our product provides reliability and suitability virtually in all branches of sliding window and door fitting hardware. Our solutions team professionals specialize in matching the best hardware solution for your application from our proven line of compact solutions if your application requires special considerations.

AI Window Solution is the leading window hardware manufacturer, exporter & supplier in India, providing a wide range of high-quality products including window fasteners, window stays, cabin hooks, window lifts, window handles, and sash pulleys. As a premier window hardware company, we are committed to superior craftsmanship, innovative design, and customizable solutions to meet specific requirements.


Customer satisfaction is our top priority, and we offer an unparalleled experience from initial consultation to after-sales support.





ZERO
COMPROMISE FOR
TOUGH
Performance

Our commitment to industry leadership is reflected in the rigorous testing of all products, ensuring meticulous attention to detail. Ai window solution prioritizes an exceptional user experience, employing low-carbon, eco-friendly materials and user-centric designs with customizable options to meet diverse client needs. We recognize that superior tools are essential to operational excellence; therefore, we invest in top-tier equipment, complementing effective management, integrity, and skilled personnel to maximize production capabilities and Guarantee superior product quality.



A robust organizational culture underpins sustainable enterprise development. It cultivates shared values and a business philosophy that fosters strong team cohesion and employee loyalty, thereby creating an environment conducive to enthusiastic and creative contributions, driving continuous company growth. We prioritize diverse perspectives and strive for daily improvement. Our guiding principles of acceptance, understanding, support, trust, respect, and appreciation inform our service approach. We believe that meticulous attention to detail and adherence to established standards build a strong foundation for future success.



OUR GLOBLE

- 📍 INDIA
- 📍 NEPAL
- 📍 BHUTAN
- 📍 BANGLADESH
- 📍 SRILANKA

ICON GUIDE

PACKAGING SYMBOLS



POWDER COATING FINISH



INDEX

NO.	PARTICULAR	PAGE NO.
01	<u>CORNER CLEAT</u>	07
02	<u>SLIDING WINDOW CONCEAL LOCKS</u>	19
03	<u>HANDLES</u>	23
04	<u>HINGES</u>	27
05	<u>SLIDING ROLLERS</u>	31
06	<u>uPVC ROLLERS</u>	39
07	<u>SLIDING HANDLE METRO LOCK FORK DRIVEN</u>	40
08	<u>MINIMAL ROLLERS</u>	44
09	<u>LOCKING DEVICES ASC.</u>	45
10	<u>PLASTIC ITEMS</u>	49
11	<u>LOCKING ALUMINIUM & ESPAGE RODE</u>	54
12	<u>FRICTION STAY</u>	57
13	<u>ARMS STAY</u>	59
14	<u>MINIMAL SYSTEM</u>	60

CORNER

GLEAT




CC ALU. DIE CASTED. PREMIUM SERIES

Material Specification

- LM-2 Aluminium Pressure Die Cast
- Button Made By Aluminium
- M6 x 16mm SS304 Button Head Bolt.
- Spring And Washer Nickel Finished


AI1017CC

20MM MINI DOMAL SHUTTER & FRAME




AI1022CC

27MM DOMAL SHUTTER & FRAME




AI1024CC

29MM SHUTTER FRAME




AI1436CC

40MM CASEMENT SHUTTER & FRAME




AI1041CC

50MM CASEMENT FRAME




AI1428CC

37MM SHUTTER & FRAME




AI2736CC

50MM CASEMENT SHUTTER




AI3734CC

50MM DOOR SHUTTER




AI102040CC

25 MM SLIM CLEAT (10X20X40)




AI102250CC/AI102050CC

25MM SLIM CLEAT (10X22X50/10X20X50)




AI102250CC

25MM SLIM CLEAT (10X22X50)




AI102650CC

29MM SLIM CASTING CLEAT (10X26X50)




AI102850CC

32MM SLIM CASTING CLEAT (10X28X50)



AI40MC



40MM MULLION CLEAT



Smart, Sleek,

Sustainable.

ADJUSTABLE PREMIUM ALUMINIUM CLEAT





Material Specification

- Button made by Steel Sheet Metal.
- Extrusion Aluminum Body.
- M6 x 16mm SS304 Button Head Bolt.
- Tempered Steel.
- Zinc Coated Springs.

Item Code	Description	H (mm)	L (mm)
AI1020AAC	10X20mm Adj. Corner Cleat	10	20
AI1022AAC	10X22mm Adj. Corner Cleat	10	22
AI1024AAC	10X24mm Adj. Corner Cleat	10	24
AI1027AAC	10X27mm Adj. Corner Cleat	10	27
AI1036AAC	10X36mm Adj. Corner Cleat	10	36

Note : Customize Size Can be Possible.

ADJUSTABLE PREMIUM ALUMINIUM CLEAT



Material Specification

- Button made by Steel Sheet Metal.
- Extrusion Aluminum Body.
- M6 x 16mm SS304 Button Head Bolt.
- Tempered Steel.
- Zinc Coated Springs.


Item Code	Description	H (mm)	L (mm)
AI1420AAC	14X20mm Adj. Corner Cleat	14	20
AI1422AAC	14X22mm Adj. Corner Cleat	14	22
AI1424AAC	14X24mm Adj. Corner Cleat	14	24
AI1427AAC	14X27mm Adj. Corner Cleat	14	27
AI1436AAC	14X36mm Adj. Corner Cleat	14	36

Note : Customize Size Can be Possible.

ECO SERIES ALUMINIUM CLEAT

Material Specification

- Aluminium Extrusion Body .
- Button Made By Aluminium
- M6 x 16mm SS304 (Button Head / Allen Bolt.)
- Spring And Washer




Item Code	Description	H (mm)	L (mm)
AI1018AC	10x18mm Corner Cleat	10	18
AI1022AC	10x22mm Corner Cleat	10	22
AI1024AC	10x24mm Corner Cleat	10	24
AI1036AC	10x36mm Corner Cleat	10	36

Note : Customize Size Can be Possible.

ECO SERIES ALUMINIUM CLEAT

Material Specification

- Aluminium Extrusion Body .
- Button Made By Aluminium
- M6 x 16mm SS304 Button Head Bolt.
- Spring And Washer



Item Code	Description	H (mm)	L (mm)
AI1420AC	14X20mm Adj. Corner Cleat	14	20
AI1422AC	14X22mm Adj. Corner Cleat	14	22
AI1424AC	14X24mm Adj. Corner Cleat	14	24
AI1427AC	14X27mm Adj. Corner Cleat	14	27
AI1436AC	14X36mm Adj. Corner Cleat	14	36


Note : Customize Size Can be Possible.

AI14MC/AI30MC 40MM MULLION


AI27PC/AI36PC/AI41PC 27MM, 36MM, 41MM, PACKER




AI173257SC SLIM SERIES CLEAT




AI1024SC SLIM SERIES CLEAT



AI102257AC SLIM SERIES CLEAT



AI1022SAC/AI1024SAC/AI1026SAC SLIM SERIES ALUMINUM CLEAT



Item Code	Description	H (mm)	L (mm)
AI1022SAC	10 X 22mm Slim Interlock Connector	10	22
AI1024SAC	10 X 24mm Slim Interlock Connector	10	24
AI1026SAC	10 X 26mm Slim Interlock Connector	10	26

Note : Customize Size Can be Possible.

The Ultimate Hold for
Every Load.



SLIDING WINDOW LOCK



SLIDING WINDOW SINGLE-POINT LOCK


Material Specification

- Polymide - 6 Slider.
- Body In Aluminium Extrusion.
- Upper Nib Fixing Device Made By Zinc-5 Die-Casted.
- SS304 Grub Screw, Pins, Springs, Locking Nib.
- Lock Mounting Cage Made By Zinc-5 Die - Casted

AI179MDLA MINI DOMAL LOCK AUTO




BLACK WHITE IVORY BROWN GREY GOLD




AI206DLA DOMAL LOCK AUTO AI206DLM DOMAL LOCK MANUAL




BLACK WHITE IVORY BROWN GREY GOLD




AI204DCLA DIAMOND CUT LOCK AUTO



AI204SLA SQUARE LOCK AUTO AI204SLM SQUARE LOCK MANUAL



AI208PSLA PREMIUM SQUARE LOCK AUTO




CONCEALED MULTI-POINT LOCK


Material Specification

- Body In Aluminium Extruded.
- Self Lubricated Polyamide Push Strip.
- Upper Nib Fixing Device Is Made By Zinc Die-Cast.
- SS304 Grub Screw, Pins, Springs.
- Lock Mounting Cage Made By Zinc Die-Cast.
- Multi-Lock Fork Made By Zinc Die-Cast.

AI206MPDL MULTI-POINT DOMAL LOCK



AI204MPDCL MULTI-POINT DIAMOND CUT LOCK



WINDOW HANDLE




CASEMENT WINDOW SINGLE-POINT HANDLES


Material Specification

- Handle, Base And Receiver Hook Made By LM-2 Aluminium Die-Casted With Powder Coating Finish.
- Packers Made By Polyamide-6.
- Zinc Platted Allen key Bolt.

AI154SPH SINGLE POINT PREMIUM HANDLE



AI150SPTH SINGLE POINT THUMB HANDLE



MULTI-POINT LOCKING HANDLE


Material Specification

- Handle Made By Alu. Pressure Die Cast.
- Base Body Made By Zinc Die Cast.
- Zinc finished Spring.
- Fork Kit Include Centre Gear Made By Zinc Die-Cast With Zinc Plating .
- Fork Kit Frame And Stopper Made By Polyamide.
- Fasteners Galvanized Platted Steel CSK.

AI131CH CREMONE HANDLE



BLACK WHITE




**Suitable Fork
with Handles**
20mm Fork
40mm Fork
50mm Fork




AI211CSNH CREMONE SHORT NECK HANDLE FORK DRIVEN



BLACK WHITE




**Suitable Fork
with Handles**
20mm Fork
40mm Fork
50mm Fork




AI175CSNH

CREMONE SHORT NECK HANDLE LEFT/RIGHT



Suitable Fork with Handles
20mm Fork
40mm Fork
50mm Fork




HANDLES ROD DRIVEN

Material Specification

- Handle Made By Aluminium Pressure Die-Cast.
- Base Body Made By Zinc Die-Cast.
- 7x7mm Mild Steel Square Rod.

AI175SSNH

SIDING SHORT NECK HANDLE



BUTT

HINGES




BUTT HINGES

Material Specification

- Aluminium Extrusion Hinge Bodies.
- Zinc-5 Die-Casted Hinge Fixing Plates.
- CSK Flat Head SS304 Fixing Bolts.
- Hinge Body Sleeves Made By Polyamide-6.


AI402WBH

40MM 2-WING BUTT HINGES




AI403WBH

40MM 3-WING BUTT HINGES




AI502WBH

50MM EURO 2-WING BUTT HINGES




AI503WBH

50MM EURO 3-WING BUTT HINGES




AI32BH


32MM BUTT HINGES




45MM/52MM 2-WING BUTT HINGES



45MM/52MM 3-WING BUTT HINGES



50MM EURO HEAVY DUTY HINGES



SLIDING WINDOW ROLLER




SLIDING WINDOW ROLLER

Material Specification

- Polyamide-6 With 15gf Main Body.
- The Wheel With Bearing In Steel And Covered With Neutral Reinforced Polyamide Cover.
- Mounting Grub Screws And Adjustment Bolts Made By SS304 Corrosion Resistance.

AI201R


2X1 ROLLER(20MM SERIES)



Weight Capacity is 20kg/pair

AI271R (U/V GROOVE)

2X1 PREMIUM ROLLER(27MM SERIES)




Weight Capacity is 35kg/pair

AI271V

AI271U

AI272R (U/V GROOVE)

2X2 PREMIUM ROLLER(27MM SERIES)



Weight Capacity is 60kg/pair

AI272V

AI272U

AI2711R

1X1 ROLLER(27MM SERIES)




AI31R (U/V GROOVE)

2x2 3 IN 1 ROLLER(25MM/27MM/29MM SERIES)




AI31SSRG (U/V GROOVE)

2x2 31MM SS-304 RING GULF SERIES




Weight Capacity is 175kg/pair




AI31GR (U/V GROOVE)


2x2 31MM GULF SERIES





Weight Capacity is 125kg/pair





AI271HAR (U/V GROOVE) 2x1 PREMIUM ROLLER(27MM SERIES)



AI271PAR (U/V GROOVE) 2x1 PREMIUM ADJUSTABLE ROLLER(27MM SERIES)




AI272AR (U/V GROOVE) 2x2 PREMIUM ADJUSTABLE ROLLER(27MM SERIES)




AI27291R (U/V GROOVE)

1X1 ROLLER(27MM/29MM SERIES)




AI27292R (U/V GROOVE)

2X1 ROLLER(27MM/29MM SERIES)




AI2729AR (U/V GROOVE)

2X1 PREMIUM ADJUSTABLE ROLLER(27MM/29MM SERIES)



AI304SR (U/V GROOVE)

2X2 SS304RING ROLLER(27MM SERIES)




Weight Capacity is 90kg/pair

AI304U

AI304SAR (U/V GROOVE)

2X2 SS304RING ADJUSTABLE ROLLER(27MM SERIES)




Weight Capacity is 150kg/pair

AI304U


AI(35/37)ASR (U/V GROOVE)

ALUMINIUM SS304 ROLLER(35MM/37MM SERIES)





AI3575U

Weight Capacity is 230kg/pair



AI35100U

Weight Capacity is 310kg/pair




AI35130U

Weight Capacity is 400kg/pair


AI29ASR

ALUMINIUM SS304 ROLLER(29MM SERIES)





AI2974U

Weight Capacity is 180kg/pair



AI29100U

Weight Capacity is 280kg/pair




AI29130U

Weight Capacity is 360kg/pair


AI(29/35/37)ASR

ALUMINIUM SS304 ROLLER(29MM/35MM/37MM SERIES)





AI3574U

Weight Capacity is 70kg/pair



AI35100U


Weight Capacity is 110kg/pair



AI35130U

Weight Capacity is 150kg/pair



SLIDING ROLLER ASSEMBLIES



Item Code	Description	W	H	L	WEIGHT CAPACITY
AI1517150	2-Wheel U/V-Groove Roller	15	17	150	80 Kg/Pair
AI1517240	4-Wheel U/V-Groove Roller	15	17	240	160 Kg/Pair
AI1520150	2-Wheel U/V-Groove Roller	15	20	150	100 Kg/Pair
AI1524150	2-Wheel U/V-Groove Roller	15	24	150	125 Kg/Pair
AI1524250	4-Wheel U/V-Groove Roller	15	24	250	200 Kg/Pair

Note : All Dimension are in mm.

UPVC ADJUSTABLE WHEEL ROLLER



Item Code	Description	W	H	L	WEIGHT CAPACITY
AI1220160	2-Wheel U-Groove Roller	12	20	160	80 Kg/Pair
AI1220204	4-Wheel U-Groove Roller	12	20	204	140 Kg/Pair

Note : All Dimension are in mm.

SLIDER HANDLES

FORK DRIVEN




3 SLIDER HANDLES FORK DRIVEN

Material Specification

- Handle Made By Zinc Die-Cast.
- Assembly Made By High Grade Aluminium Extrusion.
- SS304 Bearing.
- Fork Made By Zinc Die-Cast With Black Platted .
- MS Rivet


AI06MH

6" INCH METRO HANDLE




AI09MH

9" INCH METRO HANDLE




AI11MH

11" INCH METRO HANDLE



MULTI-LOCKING FITMENT DIAGRAM



AI09(ON/OFF)MH

09" INCH ON/OFF METRO HANDLE


AI09(ON/OFF)CMH

09" INCH ON/OFF CUT METRO HANDLE


AI11MGB

180° METRO HANDLE WITH
GEAR BOX (10x20x150)



AI82450SL

SLIM (8x24x50) / (8x24x75) / (8x24x105)



Note : Customize Size Can be Possible.

AI101550SL

SLIM (10x15x50) / (10x15x75) / (10x15x105)



Note : Customize Size Can be Possible.

AI172550SL

SLIM (17x25x50) / (17x25x150)



Note : Customize Size Can be Possible.



SLIDING LOCKING DEVICES

Material Specification

- SS304 Grub Alley Key Screw.
- Housing In Zinc-5 Die-Casted.

AI8020BN

BIG NIB HOLDER TWO-WAY



AI60OML

SLIDING ONE-WAY MULTI LOCKING

BOLT SIZE: M8*25MM / M8*32MM / M8*38MM



AI6020MN

MINI NIB HOLDER TWO-WAY



AI80TML

SLIDING TWO-WAY MULTI LOCKING

BOLT SIZE: M8*25MM / M8*32MM / M8*38MM



AI5020ON

NIB HOLDER ONE-WAY



AI3314GR

SLIDING MULTI LOCKING RECEIVER



AI110ML

SLIDING MULTI LOCKING



AI100RC

ROD CONNECTING DEVICE

SIZE : 16MM, 25MM, 45MM - (SS 202), 38MM (DIE CAST)



AI2024PAS

PAWL LOCKING ADJUSTABLE STRIKER



AI3726T

T - NIB



AI106PA

PAWL ADJUSTABLE LOCKING (6MM/8.5MM)



AI3721J

J - NIB



AI2024PF

PAWL LOCKING FIX STRIKER



AI5013OS

REGULAR FRAME STRIKER OPEN TRACK



AI6016MS

SLIDING MULTI LOCKING STRIKER



AI5512SS

SLIM FRAME STRIKER MULTI-LOCK



AI5033DS

DUCK FRAME STRIKER OPEN TRACK



AI4711MS

MINI STRIKER MULTI-LOCK



AI5023MB

METAL BUMP STOPPER



BLACK WHITE

AI10FS

FLAT STRIKER



BLACK WHITE

AI08CP

CONNECTOR PIN(16MM/25MM)



AI3050RC

ROD CONNECTOR(SS-16MM/25MM/45MM)
(38MM-DIE CAST)



AI10DHFS

DUCK HOOK FRAME STRIKER 10MM




AI10SS

SLIDING STRIKER



PLASTIC FITTING ACCESSORIES



PLASTIC FITTING ACCESSORIES

Material Specification

- Interlock Covers Made By Polyamide-6
- Fixing Screws Allen Grub SS304

AI20/27/35ILC INTERLOCK CAP (20MM/27MM/35MM)



AI29ISC INTER LOCK CAP 29MM



AI27IHC INTERLOCK CAP 27MM



AI20/27/35AH ANTI LIFT HANDLE (20MM/27MM/35MM)



AI27IC INTERLOCK CAP 27MM



AI27/29/32/35AH ANTI LIFT GUIDE (27MM/29MM/32MM/35MM)



AI27/35UG

U GUIDE (27MM/35MM)



AI27/37ALG

ANTI LIFT LOCK GUIDE (27MM/37MM)



AI27AG

ANTI LIFT GUIDE 27MM




AI27LG

LOCK GUIDE 27MM



AI(27/29/32/35)DP

DUST PAD
(27MM/29MM/32MM/35MM)



AI3811ES
ALUMINIUM ROD STRIKER




AI1SL
SS LAPTTI



AI1PL
PLASTIC L PATTI



AI1.2SML
MS L PATTI SMALL



AI1.2ML
MS L PAATI BIG



AI12HC
HOLE CAP



AI407WC
WATER COVER



BLACK WHITE

AI9MR
DRAIN COVER



BLACK WHITE

AI40ZL
Z MS L PATI



AI5413S
SLIDING STRIKER



AI29GL
29MM GULF



BLACK WHITE


AI1520EP
ESPAG PACKER



BLACK WHITE


LOCKING TRANSMISSION ROD

ALUMINIUM SLIDING MULTI-LOCK ROD



Item Code	Description	L	A	Lock Point
AI400SR	400mm Aluminium Rod	400	10mm/20mm	2
AI600SR	600mm Aluminium Rod	600	10mm/20mm	2
AI800SR	800mm Aluminium Rod	800	10mm/20mm	2
AI1000SR	1000mm Aluminium Rod	1000	10mm/20mm	2
AI1200SR	1200mm Aluminium Rod	1200	10mm/20mm	2
AI1400SR	1400mm Aluminium Rod	1400	10mm/20mm	3
AI1800SR	1800mm Aluminium Rod	1800	10mm/20mm	4
AI2000SR	2000mm Aluminium Rod	2000	10mm/20mm	5

ALUMINIUM CASEMENT MULTI-LOCK ROD



Item Code	Description	L	A	Lock Point
AI400CR	400mm Aluminium Rod	400	10mm/20mm	2
AI600CR	600mm Aluminium Rod	600	10mm/20mm	2
AI800CR	800mm Aluminium Rod	800	10mm/20mm	2
AI1000CR	1000mm Aluminium Rod	1000	10mm/20mm	2
AI1200CR	1200mm Aluminium Rod	1200	10mm/20mm	2
AI1400CR	1400mm Aluminium Rod	1400	10mm/20mm	3
AI1800CR	1800mm Aluminium Rod	1800	10mm/20mm	4
AI2000CR	2000mm Aluminium Rod	2000	10mm/20mm	5

METAL SLIDING MULTI-LOCK ROD




Item Code	Description	L	A	Lock Point
AI400SER	400mm Metal Espag Rod	400	7.5mm/15mm	2
AI600SER	600mm Metal Espag Rod	600	7.5mm/15mm	2
AI800SER	800mm Metal Espag Rod	800	7.5mm/15mm	2
AI1000SER	1000mm Metal Espag Rod	1000	7.5mm/15mm	2
AI1200SER	1200mm Metal Espag Rod	1200	7.5mm/15mm	2
AI1400SER	1400mm Metal Espag Rod	1400	7.5mm/15mm	3
AI1600SER	1600mm Metal Espag Rod	1600	7.5mm/15mm	3
AI1800SER	1800mm Metal Espag Rod	1800	7.5mm/15mm	4
AI2000SER	2000mm Metal Espag Rod	2000	7.5mm/15mm	4

METAL CASEMENT MULTI-LOCK ROD




Item Code	Description	L	A	Lock Point
AI400CER	400mm Metal Espag Rod	400	22mm	2
AI600CER	600mm Metal Espag Rod	600	22mm	2
AI800CER	800mm Metal Espag Rod	800	22mm	2
AI1000CER	1000mm Metal Espag Rod	1000	22mm	2
AI1200CER	1200mm Metal Espag Rod	1200	22mm	2
AI1400CER	1400mm Metal Espag Rod	1400	22mm	3
AI1600CER	1600mm Metal Espag Rod	1600	22mm	3
AI1800CER	1800mm Metal Espag Rod	1800	22mm	4
AI2000CER	2000mm Metal Espag Rod	2000	22mm	4

CASEMENT TOP HUNG WINDOW HARDWARE



STAINLESS STEEL FRICTION STAY



Technical Parameter

Size : 8" To 24", 2 mm / 2.5 mm Thickness, 13.5 mm, Stake Width, Square Notch, Connecting With The Rivet Of Bottom Slot Steady, Exponentially Increase The Friction Hinges Bearing Capacity, And Enhanced Security. The Design Slider, Will Reduce The Resistance Of The Slider. Window Fully Opened, In The Form Of Open Space, Visual Effects, And Easy For Emergency Escape.

FRICTION STAY SS202

Item Code	Size	Bar Thickness	Base Width	Max Width	Max Height	Opening Angle	Weight Capacity
FS-2-202-8	8"	2mm	18mm	350mm	900mm	40	8 KG
FS-2-202-10	10"	2mm	18mm	450mm	850mm	88	10 KG
FS-2-202-12	12"	2mm	18mm	500mm	1200mm	88	12 KG
FS-2-202-14	14"	2mm	18mm	550mm	1200mm	88	15 KG
FS-2-202-16	16"	2mm	18mm	650mm	1350mm	88	17 KG
FS-2-202-18	18"	2mm	18mm	650mm	1350mm	88	20 KG
FS-2-202-20	20"	2.5mm	18mm	750mm	1350mm	88	25 KG
FS-2-202-24	24"	2.5mm	18mm	800mm	1500mm	88	30 KG

FRICTION STAY SS304

Item Code	Size	Bar Thickness	Base Width	Max Width	Max Height	Opening Angle	Weight Capacity
FS-2.5-304-8	8"	2mm	18mm	550mm	1100mm	40	10 KG
FS-2.5-304-10	10"	2mm	18mm	600mm	1200mm	88	12 KG
FS-2.5-304-12	12"	2mm	18mm	650mm	1300mm	88	14 KG
FS-2.5-304-14	14"	2mm	18mm	700mm	1400mm	88	16 KG
FS-2.5-304-16	16"	2mm	18mm	750mm	1500mm	88	18 KG
FS-2.5-304-18	18"	2.5mm	18mm	NA	NA	88	20 KG
FS-2.5-304-20	20"	2.5mm	18mm	NA	NA	88	25 KG
FS-2.5-304-24	24"	2.5mm	18mm	NA	NA	88	30 KG

40MM ARM STAY HINGES



Item Code	Size	Material Grade	Bar Qty	Bar Thickness
AI08AS	8"	SS 202/304	2	2mm
AI10AS	10"	SS 202/304	2	2mm
AI12AS	12"	SS 202/304	2	2mm

MINIMAL SYSTEM

Minimal systems are recently highest used by the end customers and the architects, **WINEX** is specialize in different minimal systems hardware including rollers, locking systems and other plastic accessories.

WINEX has developed more than 20 different minimal system hardware since last many years and its tested with different typology of windows, Because of minimal systems is always a private system so our customers are most welcome to develop the new hardware for their designed minimal sliding systems.



Manufacture & Exporter

- Premium Door And Window Systems
- We Design And Manufacture
- High-quality Architectural
- Hardware And Accessories.



Address :

Sd No. 02, Nr. Shaktiman Rotawetar, Nr. Mahalaxmi Masala,
RS No. 37P, B/H Tulip Party Plot, Vavdi, Rajkot-360004

Contact :

+91 76008 88689

Email : aiwindowssolution@gmail.com

Web Site : winex.co.in

 Instagram

 Facebook

