



EXTREO[®]
LIVE. LUXURY.

Product Catalogue

a LARGEST RANGE of
'FRAMELESS,'
GLASS Railing System





ABOUT US

We always strive to be the fore front runner in delivering aesthetically pleasing architectural metal and glass marvels in the form of elegant yet sturdy railing designs and accessories, at par with the international standards.

We have established our brand name synonymous with reliability and supreme quality. We attain this benchmark by adhering to our stringent quality check process that complies with the international standards of railing designs and product quality. You will get the finest quality railing designs and accessories from us.

Our in-house design team explores innovations and studies recent global trends to always be in-the-know of what new can be done and what's next on the horizon. All of this is possible with the help of our well-qualified engineers and professionals so that our valuable clients always get the quality products and services from us.

VISION

We aspire to set benchmarks in the railing designs, quality, and deliverables.

Quality assurance merged with the latest technology and trusted experience of our professionals reflects in our products and the very fabric and culture of our organization.

WHY? EXTREO

40+

**ALUMINIUM RAILING
SYSTEMS**

100%

**WEATHER PROOF
SYSTEM**

20 +

**ALUMINIUM
HANDRAILS**

304

**GRADE
SS MODULAR
RAILING SYSTEM**

**CERTIFIED
TESTED SYSTEMS**

**LED
SYSTEMS**

**WOODEN
HANDRAILS**

SYSTEMS WITH MULTI COLOR OPTIONS

**WOOD
FINISH**

**PVDF
FINISH**

ANODIZING

**POWDER
COATING**

"Largest Range of Aluminium & Stainless Steel Systems"




Frameless Top Mount

Specifications

Step Bracket & Cover - EXB 01

Type	: Bracket & Cover System
Use	: Indoor & Outdoor
Material	: Architectural Grade 6063-T6
Length	: Step Bracket (65mm) Step Cover (13 ft./16 ft.)
Weight	: Step Bracket (Approx 0.460 gm.) Step Cover (Approx 0.200/0.220 gm.) (1 ft. / 1 side)
Finish	: Anodized / Powder Coating / PVDF Coating / Wooden



End Cap

Slotted Cap






Frameless Top Mount

Specifications

Regular Feri - EXB 07

Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Architectural Grade 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 0.780/0.800 gm.) (1 ft.)
Finish	: Anodized / Powder Coating / PVDF Coating / Wooden





Scan QR



Manufactured & Marketed By:

Extreo Rail Systems (P) Ltd.

KH-11/24, 24/4, Ground Floor, Ambay Garden
Samaypur Extensive Industrial Area,
Libaspur, New Delhi-110042