




BE RIGHTBUILD SOLUTION PRIVATE LIMITED

An ISO 9001:2015 Certified Co.

www.berightbuild.com



UPVC WINDOWS & DOOR HARDWARE

UPVC WINDOWS & DOOR MAKING MACHINES

UPVC PORTABLE MACHINES



We "Be Rightbuild Solution Pvt. Ltd.", a Private Limited Firm, affianced in Manufacturing, Retailing and Wholesaling an optimum quality UPVC Windows & Door Hardware, UPVC Window making Machines, UPVC Window making Portable Tools.

We have technically advanced and pioneering infrastructural set up that covers over an extensive area of land. To comprehend the urgent demands of the customers, we have furnished highly advanced tools, equipment and machinery at our production section. In order to increase the production capacity, these alienated sections are handled by our brilliant team of professionals.

WHY BE RIGHTBUILD SOLUTION


Backed by a rich industry experience, we are engaged in providing a wide supreme quality range of products. We are known as a quality provided organization because of the following points:

- Experienced team of professionals
- Well-furnished infrastructural facility
- Total Quality Management
- Complete client satisfaction
- Ethical business policies
- Competitive pricing
- Immediate delivery





1. ESPAGNOLETTE FOR CASEMENT DOOR (COMPLETE SET)




Product Code	Product Description
BRDS 01	1800mm, 85/35mm Back Set
	1800mm, 92/35mm Back Set

2. MORTISE LOCK FOR CASEMENT DOOR (COMPLETE SET)



Product Code	Product Description
BRDS 02	240mm, 85/35mm Back Set

3. ESPAGNOLETTE FOR SLIDER WINDOW / DOOR (COMPLETE SET)



Product Code	Product Description
BRSDCS 01	1800mm, 15mm Back Set

4. BATHROOM DOORSET



Product Code	Product Description
BRBDS01	240mm, 85/35mm Back Set



5. CASEMENT WINDOW ESPAGNOLETTE (DOUBLE PLATE) U-TYPE



Product Code	Product Description
BRCWE 01	400mm, 22mm Back Set
BRCWE 02	600mm, 22mm Back Set
BRCWE 03	800mm, 22mm Back Set
BRCWE 04	1000mm, 22mm Back Set
BRCWE 05	1200mm, 22mm Back Set
BRCWE 06	1400mm, 22mm Back Set
BRCWE 07	1600mm, 22mm Back Set
BRCWE 08	1800mm, 22mm Back Set

6. ESPAGNOLETTE FOR SLIDING WINDOW / DOOR



Product Code	Product Description
BRSWE 01	400mm, 7.5mm Back Set
BRSWE 02	600mm, 7.5mm Back Set
BRSWE 03	800mm, 7.5mm Back Set
BRSWE 04	1000mm, 7.5mm Back Set
BRSWE 05	1200mm, 7.5mm Back Set
BRSWE 06	1400mm, 7.5mm Back Set
BRSWE 07	1600mm, 7.5mm Back Set
BRSWE 08	1800mm, 7.5mm Back Set

7. T - LOCK

PRODUCT CODE : BRBTL 01




8. SLIDING LIGHT HANDLE

PRODUCT CODE : BRSLH 01



9. ONE SIDE KEY ONE SIDE KNOB HANDLE

PRODUCT CODE : BRODH 01



10. 'C' HANDLE

PRODUCT CODE : BRCH 01



11. MOSQUITO MESH HANDLE

PRODUCT CODE : BRMH



12. PLASTIC HANDLE

PRODUCT CODE : BRPH 01



13. ALLEN KEY HANDLE

PRODUCT CODE : BRAKH 01



14. CSMT. HANDLE WITH KEY

PRODUCT CODE : BRCHWK 01



15. CASEMENT HANDLE

PRODUCT CODE : BRCWH01





16. CSMT. HANDLE WITHOUT KEY

PRODUCT CODE : BRCHWOK 01



17. COCKSPUR HANDLE PREMIUM (L/R)

PRODUCT CODE : BRCHP 01



18. ONE SIDE KEY ONE SIDE KNOB
CASEMENT HANDLE

PRODUCT CODE : BRODHC01



19. SHORT NECK HANDLE

PRODUCT CODE : BRSNH01



20. SLIDING HEAVY HANDLE

PRODUCT CODE : BRSHH01



21. POP-UP HANDLE - WINDOW

PRODUCT CODE : BRPUHW 01



22. POP-UP HANDLE WITH KEY

PRODUCT CODE : BRPUHD 01



23. TOUCH LOCK (L/R)

PRODUCT CODE : BRTL 01



24. CRESCENT LOCK (L/R)

PRODUCT CODE : BRCL 01



25. "D" HANDLE

PRODUCT CODE : BRDH 01



26. CONCEALED HINGE

PRODUCT CODE : BRCCH 01



27. FLAT HINGE FOR DOOR

PRODUCT CODE : BRFHD 01





28. FLAT HINGE FOR WINDOW
PRODUCT CODE : BRFWH 01



29. CSMT. WINDOW HINGE
PRODUCT CODE : BRLH 01



30. CSMT. DOOR HINGE
PRODUCT CODE : BRLH 02



31. BUTT HINGE

PRODUCT CODE : BRBH 01 75mm
PRODUCT CODE : BRBH 02 100mm



32. 2-D HINGE

PRODUCT CODE : BR2DH 01



33. 3-D HINGE

PRODUCT CODE : BR3DH 01



34. 3D HINGE LIGHT

PRODUCT CODE : BR3DHL01




35. CYLINDER WITH KNOB

PRODUCT CODE : BRCWK 01 80mm
PRODUCT CODE : BRCWK 02 83mm



36. CYLINDER WITH BOTH SIDE KEYS

PRODUCT CODE : BRCWBK 01 80mm
PRODUCT CODE : BRCWBK 02 83mm



37. NYLON SINGLE GROOVE BIG ROLLER
PRODUCT CODE : BRNBGR 01



38. FLAT NYLON SINGLE ROLLER
PRODUCT CODE : BRSRFN 01



39. NYLON SINGLE ROLLER (WITH GROOVE)
PRODUCT CODE : BRSRNG 01





40. NYLON DOUBLE ROLLER (WITH GROOVE)
PRODUCT CODE : BRDRNG 01



41. ADJUSTABLE NYLON DOUBLE ROLLER
PRODUCT CODE : BRADRNG 01



42. NYLON MESH ROLLER
PRODUCT CODE : BRSNMR 02



43. METAL SINGLE ROLLER (WITH GROOVE)
PRODUCT CODE : BRSRMG 02



44. METAL DOUBLE ROLLER (WITH GROOVE)
PRODUCT CODE : BRDRMG 01



45. ADJUSTABLE METAL DOUBLE ROLLER
PRODUCT CODE : BRADRMG 01



46. STAY ARM / RESTRICTION ARM



47. FRICTION STAY



48. PROFILE PACKER



Product Code	Product Description
BRAR 01	8"
BRAR 02	10"
BRAR 03	12"

Product Code	Product Description
BRFS 01	8"
BRFS 02	10"
BRFS 03	12"
BRFS 04	14"
BRFS 05	16"

Product Code	Product Description	Size
BRPP 01	1.5mm	54x1.5 & 105x1.5
BRPP 02	3mm	54x3 & 105x3
BRPP 03	5mm	54x5 & 105x5



49. GLASS PACKER



Product Code	Product Description	Size
BRGP 01	1.5mm	24x1.5
BRGP 02	3mm	24x1.5
BRGP 03	5mm	24x5 & 16x5

50. PVC SCREWS



Product Code	Product Description
BRPS 01	3.9 x 19mm
BRPS 02	3.9 x 25mm
BRPS 03	3.9 x 30mm
BRPS 04	3.9 x 35mm
BRPS 05	3.9 x 40mm
BRPS 06	3.9 x 70mm

51. SELF DRILLING SCREWS



Product Code	Product Description
BRSDS 01	3.9 x 13mm
BRSDS 02	3.9 x 16mm
BRSDS 03	3.9 x 19mm
BRSDS 04	3.9 x 25mm
BRSDS 05	3.9 x 35mm
BRSDS 06	3.9 x 40mm

52. FASTNERS



Product Code	Product Description
BRSDS 07	8 x 80mm
BRSDS 08	8 x 100mm
BRSDS 09	8 x 120mm

53. WOOL PILE . WEATHER STRIP



Product Code	Product Description
BRWS 01	5 x 6mm
BRWS 02	6 x 5mm
BRWS 03	6 x 6mm
BRWS 04	7 x 5mm

54. ALUMINIUM TRACK

PRODUCT CODE : BRAT 01 HOLLOW TYPE
BRAT 02 SOLID TYPE



55. GASKET

PRODUCT CODE : BRG 01



56. SLIDING KEEP

PRODUCT CODE : BRSK 01





57. CASEMENT KEEP

PRODUCT CODE : BRCK 01



58. LIMIT BRIDGE

PRODUCT CODE : BRLM 01



59. SLIDING STOPPER

PRODUCT CODE : BRSS 01



60. DRAINAGE CAP

PRODUCT CODE : BRDC 01



61. BUFFER STOPPER

PRODUCT CODE : BRBS 01



62. FASTNER CAP

PRODUCT CODE : BRFC 01



63. GLASS LOUVER HOLDER

PRODUCT CODE : BRGLH01



64. SILICON

PRODUCT CODE : BRSS450



65. L JOINT BIG

PRODUCT CODE : BRLJB01



66. L JOINT SMALL

PRODUCT CODE : BRLJS01



67. SPACER BLOCK

PRODUCT CODE : BRSB 01



68. SHOOT - BOLT

PRODUCT CODE : BRSB 01 For Window
PRODUCT CODE : BRSB 02 For Door





1. DOUBLE HEAD CUTTING MACHINE

SJ03-3500

- Used for Cutting uPVC profile.
- Scale measurement and stand with roller attached.
- Use of three leg to avoid bending of machines from center.
- Working like feeding clamping are fully pneumatic controlled.
- Air gun.
- Accuracy cutting, easy operation.
- Movement of second head manually.



Power	380V 50HZ
Input Power	3 Kw

Spindle speed	3200 r/min
Saw Blade Diameter	400mm*30mm

Cutting Length	450-3500MM
Max. Cutting Width	120MM
Overall Dimension	4000*900*1500mm

2. DOUBLE HEAD CUTTING WITH DISPLAY

SJ04 - 3500

- Used for cutting uPVC profile with display.
- Scale measurement and stand with roller attached.
- Digital sensor measurement system (shows the measurement digitally).
- Accuracy cutting, easy operation.
- Working like feeding clamping are fully pneumatic controlled.
- Air gun.
- Use of three leg to avoid bending of machines from center.
- Movement of second head manually.



Power	380V 50HZ
Input Power	3 Kw

Spindle speed	3200 r/min
Saw Blade Diameter	400mm*30mm

Cutting Length	450-3500MM
Max. Cutting Width	120MM
Overall Dimension	4000*900*1500mm



3. DOUBLE HEAD ALUMINIUM CUM UPVC CUTTING MACHINE

SJ-06-3700

- Cutting of aluminium and uPVC is possible without changing blades.
- Pneumatically working safety cover.
- All working is pneumatically controlled like feeding, movement, clamping.
- Spray saw blade system (storage of water etc is possible).
- Movement of second head by pneumatic and motor operation (not manually).
- Digital sensor measurement system (shows the measurement digitally).
- Air gun.
- Scale measurement also in this machine (other than digital).



Power	380V 50HZ
Input Power	3.55 Kw

Spindle speed	3200 r/min
Saw Blade Diameter	450mm*30mm

Cutting Length	450-3700MM
Max. Cutting Width	135MM
Overall Dimension	4500*1300*1650mm

4. DOUBLE HEAD CNC CUTTING MACHINE

LJZ2-450X3700A

- Used for cutting upvc and aluminium profile.
- Movement of second head fully automatic operation.
- Air gun.
- Cutting of aluminium and upvc is possible without changing blades.
- Automatic working safety cover.
- All working is fully automatically controlled like feeding, movement, clamping.



Power	380V 50HZ
Input Power	3.55 Kw


Spindle speed	2800 r/min
Saw Blade Diameter	450mm*30mm

Cutting Length	3700MM
Max. Cutting Width	135MM
Overall Dimension	4500*1100*1400mm



5. DOUBLE HEAD ALUMINIUM CUM UPVC CUTTING MACHINE LJZ6-500X3700


- Used for cutting uPVC and of aluminium profile.
- All working is pneumatically controlled like feeding, movement, clamping.
- Movement of second head by pneumatic and motor operation (not manually)
- Air gun.
- Safety cover & digital measurement system.
- Scale measurement also in this machine.
- Cutting of aluminium and uPVC is possible without changing blades.



Power	380V 50HZ	Spindle speed	3200 r/min	Cutting Length	3700MM
Input Power	3.55 Kw	Saw Blade Diameter	500mm*30mm	Max. Cutting Width	160MM

6. DOUBLE HEAD CNC CUTTING MACHINE LJZ6-CNC-500X3700

- Used for cutting upvc and aluminium profile.
- Movement of second head fully automatic operation.
- Air gun.
- Cutting of aluminium and upvc is possible without changing blades.
- Automatic working safety cover.
- All working is fully automatically controlled like feeding, movement, clamping.



Power	380V 50HZ	Spindle speed	3200 r/min	Cutting Length	3700MM
Input Power	3.55 Kw	Saw Blade Diameter	500mm*30mm	Max. Cutting Width	160MM



7. DOUBLE HEAD ALUMINIUM CUM UPVC CUTTING MACHINE LJZ3-600X4300

- Cutting of aluminium and uPVC is possible without changing blades.
- Pneumatically working safety cover.
- All working is pneumatically controlled like feeding, movement, clamping.
- Spray saw blade system (storage of water etc is possible).
- Movement of second head by pneumatic and motor operation (not manually).
- Digital sensor measurement system (shows the measurement digitally).
- Air gun.
- Scale measurement also in this machine (other than digital).



Power	380V 50HZ	Spindle speed	3200 r/min	Cutting Length	450-4300MM
Input Power	3.55 Kw	Saw Blade Diameter	600mm*30mm	Max. Cutting Width	210MM

8. SINGLE HEAD ALUMINIUM CUTTING MACHINE DJ06-450

- Cutting of aluminium and uPVC is possible without changing blades.
- Movement of second head by pneumatic and motor operation (not manually).
- Pneumatically working safety cover.
- Digital sensor measurement system (shows the measurement digitally).
- All working is pneumatically controlled like feeding, movement, clamping.
- Air gun.
- Spray saw blade system (storage of water etc is possible).
- Scale measurement also in this machine (other than digital).



Power	380V 50HZ
Input Power	1.5 Kw
Spindle speed	3200 r/min
Saw Blade Diameter	450mm*30mm
Max. Cutting Width	135MM



9. V CUTTING MACHINE

VJ02-60

- Used for cutting uPVC profile, V shaped grooves.
- Movement of blade is pneumatic operation.
- Measurement scale is attached.
- Pneumatic driving system.
- Easy operation, safety reliability.
- V cutting done for joining of mullion welding (v welding).

Power	380V 50HZ
Cutting Motor Power	2*0.75 Kw
Air Pressure	0.4-0.6 MPa
Air Consumption	80L/min
Motor Rotary Speed	3200r/min
Blade Diameter	230MM
Overall Dimension	1350*700*1350mm



10. END MILLING MACHINE

LXD-80

- This machine can be used for uPVC & aluminium.
- Main purpose of this machine is doing milling for mechanical joints of mullion.
- Cutter into machine should be change as per the brand of profile using.
- Pneumatic clamping.
- Easy and simple operation.

Power Supply	380v 50Hz
Input Power	1.5 Kw
Spindle Speed	2800 r/min
Input Diameter of Cutter	30mm





11. AUTO END MILLING MACHINE

LXD-200

- This machine can be used for uPVC & aluminium.
- Main purpose of this machine is doing milling for mechanical joints of mullion.
- Cutter into machine should be change as per the brand of profile using.
- Pneumatic clamping.
- Easy and simple operation.
- Automatic operation for movement

Power Supply	380v 50Hz
Input Power	1.5 Kw
Spindle Speed	2800 r/min
Input Diameter of Cutter	30mm



12. SINGLE HEAD WELDING MACHINE

HJ01-120

- Used for welding corners and mullion of windows.
- PLC operated.
- Heating cooling time heating temperature can be adjust as profile requirement.
- Automatic operation.
- At a time single corner can be weld.

Power Supply	220V 50HZ
Total Power	1.2 Kw
Welding Height	20-120 mm
Working Pressure	0.4-0.6 mpa
Overall Dimension	960*900*1700mm





13. DOUBLE HEAD WELDING MACHINE

SHZ5-120 x 3500.2

- Used for welding corners of windows and doors.
- PLC operated.
- At a time double corner can be weld.
- Each head have the facility of L welding as well as V welding.
- One head is fixed second head is movement as per cutted profile.
- Heating cooling time heating temperature can be adjust as profile requirement.
- Machine stand is attached with machine body (no need to buy separate).
- Automatic operation.



Power	220V 50HZ	Welding Range	400mm-3500mm	Working Pressure	0.4-0.6 mpa
Total Power	2.5 Kw	Welding Height	20-120 mm	Overall Dimension	4300*950*1650mm

14. THREE HEAD WELDING MACHINE

SHZ5-120x 3500.3

- Used for welding corners of uPVC windows and doors with mullion welding.
- PLC operated.
- Machine stand is attached with machine body (no need to buy separate).
- Each head have the facility of L welding as well as V welding.
- First head is fixed and other two head can movement as measurement requirement.
- Heating cooling time heating temperature can be adjust as profile requirement.
- In three head mainly first two heads use for corner welding and last head use for mullion welding.
- Automatic operation.



Power	220V 50HZ	Welding Range	400mm-3500mm	Working Pressure	0.4-0.6 mpa
Total Power	3.5 Kw	Welding Height	20-120 mm	Overall Dimension	4300*950*1650mm



15. FOUR HEAD WELDING MACHINE

SHZ5-120x4500.4

- Used for welding corners of uPVC windows and doors with mullion welding.
- Due to four heads it can be prepare two set of windows and doors at one time.
- Machine stand is attached with machine body (no need to buy separate).
- It can weld four corner at one time.
- Use of Four Leg to Avoid Bending of Machines From Center.
- Each head have the facility of L welding as well as V welding.



Power	220V 50HZ	Welding Range	400mm-4500mm	Working Pressure	0.4-0.6 mpa
Total Power	4.5 Kw	Welding Height	20-120 mm	Overall Dimension	5300*950*1650mm

16. DOUBLE HEAD SEAMLESS WELDING MACHINE

WFH04-3500.2

- Suitable for welding white, colour, laminated profile.
- Fully pneumatic and electric automatic operation.
- Machine stand is attached with machine body (no need to buy separate).
- You can adjust heating temperature, cooling and heating time as your requirements.
- L welding and v welding both is possible in each head.
- Welding and cleaning at single time.
- PLC controlled.
- Seam or seamless both welding possible in this machine.



Working Air Pressure	0.4-0.8MPa	Input Power	2.5Kw	Welded Profile Width	135MM
Input Voltage	220V 50HZ	Air Consumption	100L/min	Welding Length	400-3300mm
		Welded Profile Height	20-135mm	Overall Dimension	4300*1000*1650mm



17. THREE HEAD SEAMLESS WELDING MACHINE

WFH04-3500.3

- Suitable for welding white, colour, laminated profile.
- Fully pneumatic and electric automatic operation.
- Machine stand is attached with machine body (no need to buy separate).
- You can adjust heating temperature, cooling and heating time as your requirements.
- L welding and v welding both is possible in each head.
- Welding and cleaning at single time.
- PLC controlled.
- Seam or seamless both welding possible in this machine.



Working Air Pressure	0.4-0.8MPa
Input Voltage	220V 50HZ

Input Power	3.5Kw
Air Consumption	100L/min
Welded Profile Height	20-135mm

Welded Profile Width	135MM
Welding Length	400-3300mm
Overall Dimension	4300*1000*1650mm

18. FOUR HEAD SEAMLESS WELDING MACHINE

WFH04-4500.4

- Suitable for welding white, colour, laminated profile.
- Fully pneumatic and electric automatic operation.
- Machine stand is attached with machine body (no need to buy separate).
- You can adjust heating temperature, cooling and heating time as your requirements.
- L welding and v welding both is possible in each head.
- Welding and cleaning at single time.
- PLC controlled.
- Seam or seamless both welding possible in this machine.



Working Air Pressure	0.4-0.8MPa
Input Voltage	220V 50HZ

Input Power	4.5Kw
Air Consumption	100L/min
Welded Profile Height	20-135mm

Welded Profile Width	135MM
Welding Length	400-3300mm
Overall Dimension	5300*1000*1650mm



19. LOCK HOLE CUM COPY ROUTING MACHINE

SK02-100B

- Main usage is making slot for fixing hardware.
- Used for processing for aluminium and upvc doors and windows.
- Top head used for copy routing (cylinder hole, touch & Pop up handle etc).
- Bottom head is used for triple drilling (to fix handle hole & espags in upvc windows & doors.
- Pneumatic clamping.
- With features of compact structure.

Power Supply	380V 50HZ
Total Power	1.85kw
Diameter of Milling Cutters	5/8mm
Working Pressure	0.4-0.6mpa
Contour Dimension	1000*1130*1500



20. HEAVY ALUMINIUM LOCKHOLE CUM ROUTING MACHINE

LZF-100X300

- Main usage is making slot for fixing hardware.
- Used for processing for aluminium and upvc doors and windows.
- Top head used for copy routing (cylinder hole, touch & Pop up handle etc).
- Bottom head is used for triple drilling (to fix handle hole & espags in upvc windows & doors.
- Pneumatic clamping.
- With features of compact structure.
- It can use for heavy aluminium profiles

Power Supply	380V 50HZ
Total Power	2.2kw
Diameter of Milling Cutters	5/8mm
Working Pressure	0.4-0.6mpa
Contour Dimension	1000*1130*1500





21. BEAD CUTTING MACHINE

SYJ03-1800

- Used for cutting uPVC profile glazing beads.
- It can cutting two glazing beads at a time.
- This machine cutting is fixed horizontally.
- Clamping of profile is simple and cutting movement is stable.
- Cutting blade in this machine and measurement scale also with stand attached.
- It can cut two pcs. of beads at a time.

Power Supply	380V 50HZ
Total Power	2*0.75 Kw
T Motor Rotary Speed	2800r/min
Motor Rotary Speed	80L/min
Working Pressure	0.4-0.6mpa
Processing Range (L)	320-1800mm
Number of Cutters	4
Diameter of Cutters	220 & 135mm
Overall Dimension	1350*700*1350mm



22. WATERSLOT MILLING MACHINE

SCX02-2X60

- Used for processing various water grooves (making passage for water to flow out).
- The upper can be adjusted forward, backward, upward and downward.
- In one time clamping upper and horizontal directions.
- During working the heads can move individually or jointly.
- It can be freely selected, and easy for operation.

Power Supply	220V 50HZ
Total Power	1.14 Kw
Air Pressure	0.5-0.8mpa
Diameter of Milling Cutters	4mm-5mm
Slot Length	30mm-60mm
Slot Depth	60mm
Air Consumption	80L
Overall Dimension	2100*860*1500mm





23. CNC CORNER CLEANING MACHINE

JQK05/04/03-120

- Used for cleaning angle seam of upvc doors and windows.
- It can clean top, bottom, inner or outer of uPVC doors and windows depends as you select the cutter.
- It is one set of mechanical, electrical, pneumatic and CNC technologies.
- Fully automatic operation.
- Programmed for each profile as per the size of it.
- It is one set of mechanical, electrical pneumatic and cnc technology.

Power Supply	380V 50HZ
Cutting Motor Power	1.1 Kw
Principal Axis Rotate Speed	2800r/min
Processing Profile Height	30mm-125mm
Processing Profile Width	30mm-120mm
Overall Dimension	1600*1285*1370mm



24. V CORNER CLEANING MACHINE

SQJ05-120

- Used for cleaning V corner welding lines of uPVC doors and windows.
- It can clean the upper and lower welding lines.
- It is equipped 2 different shaped cutters.
- Fully pneumatic driving system.
- No need of power, fully work with air.

Processing Profile Height	40mm-120mm
Processing Profile Width	40mm-120mm
Overall Dimension	930*690*1300mm





25. CORNER CLEANING MACHINE

JQ06-120

- Used for cleaning corner welding lines of upvc doors and windows.
- It can clean the upper and lower welding lines.
- It is equipped 2 different shaped cutters.
- Fully pneumatic driving system.
- No need of power, fully work with air.



Processing Profile Height	25mm-120mm
Processing Profile Width	25mm-120mm
Overall Dimension	1600*1285*1370mm

26. INTERLOCK DOUBLE SIDE MILLING MACHINE

SF03-130

- Used for milling of interlock for upvc profile.
- At a time two pcs can do milling.
- Motor operated.



Power Supply	380 v 50hz
Power Total	2800r/min
Spindle Speed	930*690*1300mm



27. PUNCHING MACHINE FOR ALUMINUM

LC-30B

- Used for holes, grooves or bores punches in aluminum profile.
- Machine controlled by pneumatic pedals.



28. CORNER CRIMPING MACHINE FOR ALUMINUM

LM-120

- Used for joining the corners of two aluminum profiles.
- Joining of two aluminum profiles with a wedge.
- Placed inside (Clit) by applying pressure.

Power Supply	380 v 50hz
Total Power	1.5 Kw
Overall Dimension	1100*1000*1210mm





1. MANUAL UPVC
WINDOW WELDING MACHINE



2. MANUAL WINDOW MULLION
WELDING MACHINE



3. MANUAL CORNER
CLEANING MACHINE





4. PORTABLE END
MILLING MACHINE



5. AIR COMPRESSOR




6. ELECTRIC
CLEANING TOOL



7. WATERSLOT
TOOL



8. MANUAL PROFILE
CUTTING MACHINE



9. BLADES FOR
MACHINES





PNEUMATICSPRING



HEATING PLATE



IDENTER



JOINT



SOLENOID VALVE



PLC



PRESSURE CONTROLLER



FRL UNIT



THERMOCOUPLE



HANDLE VALVE



TEMPERATURE CONTROLLER



START SWITCH



SWITCHES



WELDING PAPER



CYLINDER



BIT AND CUTTER



ON OFF SWITCH





BE RIGHTBUILD SOLUTION PRIVATE LIMITED

An ISO 9001:2015 Certified Co.

Delhi (NCR) Address :

Plot No. 95, Sector 7, IMT Manesar,
Gurugram - 122050, Haryana,

Rajasthan Address :

Plot No. H1-101,
EPIP RIICO Industrial Area,
Neemrana, Distt, Alwar, Rajasthan-301705

Coimbatore Address :

Door No.: 2/143(7), Sellappampalayam
Kaniyur Village Suler Taluk, Coimbatore,
Tamil Nadu - 641659

Bihar Address :

Khasra No. 912, Viruvachak Ranipur ,
Jhauganj, Patna - 800008, Bihar

Hyderabad Address :

G.P. Nanadigama Mandal, Shadnagar, Nandigam,
Rangareddy, Telangana-509228

Bengaluru Address :

Site Bearing No. 10, Khatha No-44/8/1/2/10,
Thymagondlu Hobi, Nelamangala Taluk,
Lakshmanapura, Bengalure Rural, Karnataka-562135

Phone :

+91-98993 32825

+91-8527080117

+91-124-4833117

+91-1494-294625

Email :

brightbuildsolutions@gmail.com

info@berightbuild.com

Website :

www.berightbuild.com

www.berightbuildsolution.co.in

Follow us at:

