



Packaging & Bonding Solutions

SELMEX



SELMEX INDUSTRIES

CONTENT TABLE

PACKAGING

1.A BOPP Packaging Tape

1.B Customized Printed BOPP Tape

1.C Cross Filament Tape

1.D Laser Tape

2.A Stretch Film

2.B Poly Oly Shrink Film

2.C Kraft Paper Tape

2.D Reinforced Water Activated Kraft Tape

CONSTRUCTION

3.A Masking Tape

3.B Protection Tape

3.C Spacer Tape

4.A Acrylic Foam Tape

4.B PVC Fine Line Tape

4.C Nitrile Foam Tape

HVAC

5.A Aluminum Foil Tape

5.B Aluminum Foil Scrim Kraft Tape

5.C EVA Gasket Tape

5.D Cloth Duct Tape

DOUBLE SIDED TAPE

6.A Red Polyester Tape

6.B PVC Tape

6.C Double Sided Tissue Tape

6.D Double Sided Tissue Tape (Solvent)

.____

SILICON SEALANT

7.A PVC Floor Marking Tape

7.B Chlorinated Poly Bags (CPE)

7.C HDPE Tape

7.D PE Bags

FLEXIBLE PACKAGING

8.A Hacker Silicon Sealant

8.B Glass Seal Non Bleeding Weather Silicon 789

9.A Water Activated Tape Dispenser

10.A Air Bubble Film (ABF)

11.A Expanded Poly Ethene (EPE)



Introduction

SELMEX INDUSTRIES, established in the year 1967,at Delhi & Bahadurgarh (Haryana) is a leading manufacturing company, in the field of packaging materials & adhesive tapes. With distribution in all over India we have attained recognition & competitiveness of its products.

We deliver complete solutions to our customer in terms of not just packaging i.e. Air Bubble Roll, EPE foam, Stretch Film, Strap but also an entire range of adhesive tapes i.e. BOPP Printed & Plain Tape, Double Sided Tapes, Kraft paper Tape, Masking Tape, PVC Tape, XHB Tape, Protection Tape & many more.We are also the leading importer of Silicone Sealant with the registered name of Hacker & Glass Seal.

The reason to have Selmex Industries being your choice is our belief that good customer experience does not happen by accident, it happens by providing quality products, proactive services and gaining trust at the same time.







Packaging & Bonding Solutions



BOPP PACKAGING TAPE

Backing: BOPP film

Adhesive: Water acrylic adhesive/hot melt adhesive

Total Thickness: 35-70 micron

Standard Color: Transparent / brown

Special Color: Red/white/green/blue/yellow, etc.

Application: Stationery / gift wrapping / box packaging



CUSTOMIZED PRINTED BOPP PACKAGING TAPE

Backing: BOPP film

Adhesive: Water acrylic adhesive Total Thickness: 35-70 micron

Standard Color: BOPP film + Red printing

light blue / green / red / pink, etc

Application: carton sealing / security packaging



CROSS FILAMENT TAPE

Backing: fiberglass film

Adhesive: hot melt adhesive/solvent acrylic

Total Thickness: 160 micron

Standard Color: for metal/wood materials, furnishing

packaging, heavy duty packaging and electric

equipments (like washing machine, refrigerator etc)

packaging.





LASER TAPE

Backing: BOPP film

Adhesive: Water acrylic adhesive

Total Thickness: 39 micron

Standard Color: Silver / purple / blue / yellow /

light blue / green / red / pink etc

Application: decoration / carton sealing / packaging

/stationery





STRETCH FILM

Thickness: 23micron

Color: transparent natural Application: pallet packing

Composition: LLDPE

Grade: manual/automatic

Core: 75mm



POLY OLY SHRINK FILM

POF Film is strong and flexible, but softer than PVC film. POF film is also highly versatile and can be used with any shrink wrapping machine.

Highly tear resistant with superior optical properties Smoke free" and meets FDA sifications for direct food contact High burnout resistance so there are NO deposits on sealing wires Strong skin tight film extends the shelf life of products and also protects products from dust, moisture and oil damage For use in manual, semi-automatic and automatic shrink packaging systems Film will protect from pilfering as it provides tamper proof package.



KRAFT PAPER TAPE

Adhesive: hot melt adhesive / natural rubber adhesive / water acrylic / solvent acrylic

Color: brown

Application: packaging carton sealing / wire

wrapping.



REINFORCED WATER ACTIVATED KRAFT TAPE

Water activate kraft paper tape is made of 100% pulp kraft paper as base material and coated with edible plant starch. It is stickly after coating water. It is environment friendly and pollution free. It is Eco Friendly & has high viscosity helping it attain anti box opening & tamper Proof Packaging.

Color: Brown

Printing can be customised



Packaging & Bonding Solutions

MASKING TAPE

- Backing: Crepe paper.
- Adhesive: Natural rubber adhesive.
- Standard Color: Biege.
- Temperature resistance: 80° C temperature in 30 minutes.
- Application: Indoor or outdoor painting masking for the surface of furniture, wood craft, music instrument, sport equipment, decoration, metal, rubber, plastic parts etc.

Sizes available 20mtr,25mtr,30mtr,45mtr Jumbo Sizes: 1250mm & 1550mm









PROTECTION TAPE

Backing: PE Film

Adhesive: solvent acrylic / water acrylic adhesive

Color: white/blue

Application: for floor protection, carpet protection

glass protection films, ABS etc. Standard Size: 2 feet x 100 feet Black & White for aluminium panels

Printing facility also available

SPACER TAPE

Backing: EVA foam
Adhesive: solvent acrylic

Thickness: 2mm/3mm/5mm/6mm/8mm etc

Liner: blue plastic film liner

Application: general usages, space filling in structural

facade and holding hooks etc.



ACRYLIC FOAM TAPE

Backing: acrylic foam Color: clear/white/grey

Thickness: 0.25mm/0.5mm/1mm/

1.5mm/2mm etc Liner: red plastic liner

Application: for automobile industry: weather strip,

side strip, nameplates, sun visor,

cushioning protector,

roof rubber, Structural Glazing .







PVC FINE LINE TAPE

Backing: Plasticized PVC film Adhesive: rubber adhesive

Thickness: 120 micron / 150 micron

Color: green/blue

Application: It provides masking protection for complex curved lines, sharp curves, irregularly shaped

panels, over rivets and into seams. It has the

temperature resistance of 163C in 60 minutes at least

NITRILE FOAM TAPE

Backing: Nitrile foam Adhesive: solvent acrylic

Thickness: 3mm/6mm/10mm/13mm etc

Liner: paper liner Application:

• Ducting

• HVAC

• Pipe Joints



Packaging & Bonding Solutions





ALUMINUM FOIL TAPE

Backing: Aluminum foil

Adhesive: water acrylic/ solvent acrylic

Structurer: Aluminum foil + adhesive + release liner Thickness: (aluminum foil): 25 micron / 30 micron /

36 micron / 40 micron / 50 micron etc

Application: for sealing joints, seaming against moisture and vapor on foil jacketing insulation etc.

ALUMINUM FOIL-SCRIM-KRAFT TAPE

Backing: Aluminum foil + kraft paper

Adhesive: hot melt adhesive/solvent acrylic

Structurer: Aluminum foil + adhesive + kraft paper +

adhesive + release liner

Backing thickness: 110 micron Total Thickness: 165 micron

Application: for sealing joints, seaming against moisture and vapor on foil jacketing insulation, etc.





GASKET/EVA TAPE

Thickness: 1-8mm Colour: white/blck Width: 6mm-1500mm

Length: 5m-10m Liner: white paper

CLOTH DUCT TAPE

Backing: PE laminated cloth

Adhesive: hot melt adhesive / natural rubber

adhesive

Mesh: 27 / 35 / 50 / 70

Color: Silver / black / red / green / blue / yellow

Application: pipe wrapping and heavy duty packaging





DOUBLE SIDED PET TAPE RED POLYESTER TAPE

Backing: PET film

Adhesive: solvent acrylic

Total Thickness: 125micron/160micron/205micron Liner: white glassine paper liner / red PP film liner Application: Suitable for gasket mounting, camera lens fixing, electrical wire fixing, microphone dust-protection net fixing, PCB fixing, etc

Application: namesplates & film switches mounting

fixing & Flex Jointing.



PVC TAPE

- Uniform Thickness, Width & assured Length.
- Provides mechanical support at High Temperatures (up to 70°C).
- Withstands up to 6500 V AC.
- Fade Resistant colors
- Flame Retardant Extinguishes the fire before it is propagated.
- Non-migratory adhesive
- High adhesion strength adhesive does not dry up.
- Indoor & Outdoor applications Weather Resistant



DOUBLE SIDED TISSUE TAPE (GENERAL USAGES)

Backing: tissue

Adhesive: hot melt adhesive Total Thickness: 60micron

Liner: white/light yellow/yellow glassine paper liner Application: general usages; leather/shoes positioning; computer embroidery, garment positioning; sealing plastic, paper bags; sticking wall paper & other paper crafts; nameplates, die cutting; foam lamination; plastic objects & film switches mounting etc.

Jumbo size, 1020 x 1000m



DOUBLE SIDED TISSUE TAPE (SOLVENT)

Backing: tissue

Adhesive: solvent acrylic

Total Thickness: 80micron-100micron

Liner: white/light yellow/yellow glassine paper liner Temperature resistance: 120C for about 20 minutes;

150C for about 2 minutes

Application: bonding nameplates, film switches, evaporator in refrigerator & catalogue etc

Jumbo size, 1250 x 1000m



PVC FLOOR MARKING TAPE

Thickness: 130 micron - 170 micron

Single color: red/white/blue/yellow/green/orange etc Double color: white & green/red & white/yellow &

black

Application: warning and marking of hazardous area



CHLORINATED POLY BAGS (CPE)

Engineered from a high grade virgin material, these CPe bags assure utmost security and safety of your mobiles and electronics. This bag is crafted with materials of purest quality.

- These bags are soft and semi-transparent allowing partial visibility and safety.
- These bags are made from 50 microns polymers which makes them environment friendly and also easily degradable.
- Customization of brand name & logos can be done.







HDPE TAPE

A self adhesive tape which has been specially made for joining and sealing of bags with HDPE base. The tape has high adhesions and tensile which help in keeping joints well sealed and required for permanent applications.

- Ideal for heavy carton sealing
- FIBC industry product, FIBC bag jointing
- High shear strength

Colors Available:

Blue, White, Red & Green

PE BAGS

PE Poly bags made of LDPE having thickness more than 50 microns used for industrial purposes to protect against dust, moisture & scratches.

- All sizes of bags & sheets available.
- 🤰 Environment friendly product. 100% recyclable
- Buy Back price 25%.



Packaging & Bonding Solutions

SILICONE SEALANT



HACKER SILICONE SEALANT

- For solar panel & solar PV glass
- Industrial use for PV module solar glass.
- Long shelf life
- Non-sag
- Readily gunnable both at low (+5 °C) and high (+40 °C) temperatures
- Flexible at low (-40 °C) and high temperatures (+100 °C) following cure
- Acetic acid crosslinking system
- Rapid crosslinking: quickly becomes tack-free and crack resistant
- Adheres good to glass, vitrified surfaces, ceramic tiles, many plastics and most paints

Packaging: HACKER - ACETOXY SEALANT is usually supplied in standard size cartridges that fit all standard caulking guns

Qty: 1 Box (24 Pieces)



GLASS SEAL NON BLEEDING WEATHER SILICONE 789

Glass Seal is a one part, neutral cure, versatile, architectural grade silicone sealent that exhibits outstanding physical properties for projects and general building constructions uses. It has excellent weathering resistance, durability, sealing and primerless adhesive properties.

TYPICAL USES:

- Sealing Solar & Solar Glass
- Industrial use of Solar PV Module
- Weatherproofing, movement joints; facade panels, metal cladding, glazing & caulking;
- EIFS, non-structural (SSG) curtain walls and building construction applications & Solar Panels.
- All surfaces: glass, aluminium, ceramics, metal & steels, fibre glass, most plastics vinyl windows;



WATER ACTIVATED TAPE DISPENSER

Description

• The wet water kraft paper cutter is made of heavy duty plastic for water activated kraft paper tape cutting. It just requires adding tape and water to the inside pf the sponge. When the tape is pulled out, it will be evenly moistened with water, which will activate the adhesive properties of the tape. The sharp steel blade cuts the tape easily and quickly, making it easy to use and save you time.

USAGE

- Take the stick and place the kraft paper here.
- Pass the tape through the rollers.
- Pour water into the sink, notice not too full.
- Install the roller back on the dispenser.
- Pull forward and soak in as much water as possible.
- Pull out & tear out the paper tape, seal the carton.

CHARACTERISTIC

- 1. Light weight, easy to move, easy to operate
- 2. Durable, excellent PP plastic made
- 3. Sink-type integrated, built-in absorbent brush effectively controls the amount of coating water to reach the most ideal sealing viscosity.





Packaging & Bonding Solutions

Air Bubble Film (ABF)

Lightweight Air Bubble Film (ABF) for all packaging and cushioning requirements...

Bubble film is a **flexible packaging and cushioning material** made of polymeric film comprising of small air pockets. The symmetrical air bubble pattern ensures excellent cushioning & provides protection against transit damage. **Bubble film** offers most cost effective protection for all your basic packaging needs. **Bubble film** is manufactured using the right proportion of special polymers to provide assured protection to the product throughout its life span. **Bubble film** is also available in fabricated pouches, cut pieces and small rolls.



Features :

- Transparent, hygienic, dust free & non toxic
- Can be easily wrapped around the product for cushioning
- Resistant to moisture
- Provides excellent surface protection against accidental impact & scratches
- Special anti-static bubble film (ABF) grades are available for ESD applications
- Can be supplied in roll form or in customized fabricated forms such as pouches, cut pieces, wraparounds etc.
- Various laminates available such as foam, film (printed or unprinted)
- & Environment friendly product. 100% recyclable

Applications:

- The excellent resilience of 'SELMEX Bubble' (bubble film / ABF), resistance to shocks & abrasion and inherent flexibility give an advantage while packing a host of diverse products like...
- Packaging solutions: Dust covers, bubble wrap etc. for fragile items like glassware, mirrors, picture frames, ceramics, chinaware, pottery, handicrafts etc.
- Anti-static packaging covers
- Packaging of consumer durables and white goods like TV covers, Refrigerator packaging, LCD / LED packaging etc.
- Packing material for painted surface of components
- Packaging of Pharmaceutical, Dental and Optical equipments
- Packaging and cushioning solutions for Automobiles like transit packing of vehicles, returnable / multiple use packing material, domestic and exports spares packing, component packing, packing material for 2-wheelers etc.
- Packaging of highly polished and sensitive items like electronic gadgets, appliances
 & scientific instruments
- Packaging of electronics & machinery
- Engineering components, industrial parts & automobile spare parts packaging
- Packaging and cushioning of furniture panels & profiles
- Polished rolls
- Packaging material for sensitive IT merchandise
- Fruits & vegetables packaging
 - *Composite packaging solutions can be designed for specific requirements.







Expanded Polyethylene Foam (EPE)

High performance product for virtually all packaging and cushioning requirements...

Expanded Polyethylene Foam (EPE) of a closed-cell structure. It fulfils your requirements for packaging, transportation and marketing objectives that are functional and cost-effective. **Expanded Polyethylene Foam (EPE)** is available in **EPE foam sheets** and **EPE foam roll** forms. Above all, (**EPE**) ensures total protection of your product.




Features:

- Durable, light weight & non dusting
- Flexible & elastic Easy to cut, fabricate, wrap around, insert or seal
- Can take care of multiple shocks unlike rigid foams
- Non-toxic & odorless. No CFC/HCFC gases are used during production
- (EPE) is 100% recyclable environment friendly foams
- Offers excellent resistance to moisture, fungi & chemicals
- (EPE) has high buoyancy and relatively higher mechanical strength
- Special HMHD film laminated foams, anti-static PE foams, mattress foam also available

Applications:

- Packaging solutions: Dust covers, bubble wrap, corner pads, support pads, PE packaging buffers, encapsulation blocks, display usage etc.
- Anti-static packaging covers
- Packaging of consumer durables and white goods like TV covers, Refrigerator packaging, LCD / LED packaging etc.
- Packaging and cushioning solutions for Automobiles: Carpet underlays, gaskets, seat cushion inserts, door liners, side / roof panels etc. Transit packing of vehicles, returnable / multiple use packing material, domestic and exports spares packing, component packing, packing material for 2-wheelers steering wheel covers, windshield covers, die-punch wheel arch pads etc
- Packing material for painted surface of components
- Sports & recreation goods: Protective guards made of foam (Arm / elbow / leg / shoulder pads), EPE mats and mattresses, garment insulation, helmet lining, life jackets / life vests, sleeping bag underlay, shoe insoles, gloves, ski belts and many more...
- Packaging of electronics & machinery
- Fragile item packaging packaging of glass sheets, glassware, mirrors, picture frames, ceramics, chinaware, pottery, handicrafts etc.
- Packaging of highly polished and sensitive items
- Packaging material for sensitive IT merchandise
- Freight forwarders
 - * Composite packaging solutions / customised fabricated packaging products can be designed for specific requirements.







OUR CLIENTELE LIST







Dose































And many more





REGD. ADD.: T-2312, Faiz Road, Karol Bagh, New Delhi-110005

TEL. : 011-28757207, 28757447, 8447885443, 8287856827

EMAIL : nitish@foamtapes.in

WORKS: GR-100, Ganpati Dham Indl. Area, Bahadurgarh,

Haryana-124507

TEL. 7056767604, 7056767606, 01276-298820 EMAIL : selmexent@gmail.com, accounts@foamtapes.in

www.foamtapes.in