QUALITY FOREVER...

NAITRI
ENTERPRISE

PRODUCT CATALOGUE

NAITRI ENTERPRISE

INDEX

Sr. No.	Details	Page
1	Glass Processing Machinery	01-12
2	Glass Processing Wheels Series	13-18
3	Glass Drilling Series	19
4	Glass Polishing & Plier Series	20-21
5	Glass Handling & Safety Materials Series	22
6	Paint Spray Gun Series	23
7	Glass Designing Series	24
8	U.V.glue & Glass Designing Series	25
9	Glass Cutter Series	26-28
10	Glass Machine Accessories	29-30
11	Glass Machine Accessories (Rubber Parts)	31-32
12	Glass Machine Accessories (Electric Accessories)	33-34
13	Glass Machine Accessories	35
14	Gear Box,motors & Water Pump	36
15	Glass Processing Machinery (Portable Machinery)	37

NAITRI ENTERPRISE



GLASS CUTTING MACHINE

TECHNICAL PARAMETER

MODEL	GLASS THICKNESS (MM)	MAX SPEED (M/MIN)	LINEAR PRECISION (MM/MIN)	ACCELERATION OF CUTTING (M/S^2)	DIAGONAL ACCURACY (MM/M^2)	GLASS SHEET SIZE (MM)
LT-CNC-2520	2-19	200	≤±0.15	8-10	±0.25	2500*2000
LT-CNC-4228	3-19	200	≤±0.15	8-10	±0.25	4200*2800
LT-CNC-5233	3-19	200	≤±0.15	8-10	±0.25	5200*3300
LT-CNC-6133	3-19	200	≤±0.15	8-10	±0.25	6100*3300
LT-CNC-9133	3-19	200	≤±0.15	8-10	±0.25	9100*3300







NAITRI ENTERPRISE



GLASS STRAIGHT LINE

EDGING MACHINE

WORKING SPEED	MIN. GLASS SIZE	INSTALL-ATION POWER	WEIGHT	BRAND OF MOTOR	CONTRO-LLING SYSTEM	BASEMENT STRUCTURE	WATER TANK	SUPPORT RAIL
1.0-5.0 M/MIN	120*120 MM	19 KW	3000 KG	CDQC	MANUAL	CASTING	STAINLESS STEEL	ALUMINIUM ALLOY FOR SUPPORT RAIL & FRAME

MAX.GLASS BEVEL WIDTH	GLASS THICK-NESS	OVERALL DIMENSION	QTY. OF MOTOR	ELECT-RIC PARTS	CONVEY STRUCTURE	INPUT & OUTPUT TRANSMISSION	TRANS-MISSION MOTOR	OIL FILLING SYSTEM
3 MM	3-25 MM	7100* 1000* 2500 MM	9	CHINT	CHAIN TRANSMISSON	TIMING BELT	VARIABLE FREQUENCY MOTOR	AUTOMATIC OIL FILLING SYSTEM FOR MOTOR PLATE



NAITRI ENTERPRISE



GLASS STRAIGHT LINE

BEVELLING MACHINE

Working Speed	0.6-6.0 m/min	**Max. Bevel Width**	40 mm
Angle Range	3-45 degree	**Min. Glass Size**	25*25 / 125*125 mm
Glass Thickness	3-19 mm	**Installation Power**	22 KW
Overall Dimension	8100*1100*2000mm	**Weight**	4000 kg
Quantity Of Spindle	9	**Brand of Main spindle**	CDQC
Controlling System	PLC with touch screen	**Convey Structure**	Chain Transmitting
Water Tank & Mixed Polishing Tank	Stainless Steel	**Input & Output Transmission**	PU Timing Belt
Support Rail	Aluminum Alloy for support Rail & Frame	**Oil Filling System**	Automatic Oil Filling System For Motor Plate



NAITRI ENTERPRISE



GLASS DRILLING MACHINE

GLASS THICKNESS	3-19MM	DRILLING HOLE SIZE	4-100MM
POWER	4 KW	CONTROL	MANUAL & AUTOMATIC IN ONE
WEIGHT	800 KG	DIMENSION	2500*2100*1700MM (L*W*H)
ELECTRIC PARTS	CHINT	WATER TANK	STAINLESS STEEL



GLASS INNER GRINDING MACHINE

PROCESSING MAX. GLASS SIZE	800*500 MM	GLASS THICKNESS	6-10 MM
HOLE SIZE	100-230 MM	WORKING HEIGHT	860±20 MM
DRILLING ACCURACY	±0.30 MM	POWER	8 KW
MACHINE DIMENSIONS	1800*1300*1800 MM	WEIGHT	800 KG

NAITRI ENTERPRISE



GLASS STRAIGHT LINE DOUBLE PENCIL EDGING MACHINE

MAX.GLASS WIDTH (OPTION)	1000MM	**MIN.GLASS SIZE**	100*100 MM
WORKING SPEED	1-10 M/MIN	**GLASS THICKNESS**	2-12 MM
POWER	24 KW	**WEIGHT**	4500 KG
WORKING HEIGHT	920 ±20MM	**CONTROLLING SYSTEM**	PLC WITH TOUCH SCREEN



NAITRI ENTERPRISE



GLASS WASHING MACHINE

WORKING SPEED	0.6-6.0 M/MIN	MAX. GLASS WIDTH	1200 MM
MIN. GLASS SIZE	150*150 MM	GLASS THICKNESS	3-12 MM
INSTALLATION POWER	9 KW	OVERRALL DIMENSION	3300*1600*1020 MM
WEIGHT	1000 KG	BRUSH	4 PAIRS
SPONGE ROLLER	3 PAIRS	DRYING	OVEN



HIGH SPEED GLASS WASHING MACHINE

WORKING SPEED	0-12 M/MIN	MAX. GLASS WIDTH	2600 MM
MIN. GLASS SIZE	400*400 MM	GLASS THICKNESS	3-19 MM
INSTALLATION POWER	39 KW	OVERRALL DIMENSION	5170*3600*2580 MM
WEIGHT	3650 KG	BRUSH	3 PAIRS WITH LOW-E
AIR KNIFE	3 PAIRS	DRYING	PLC TOUCH SCREEN

NAITRI ENTERPRISE



GLASS STRAIGHT LINE

DOUBLE PENCIL EDGING MACHINE

MAX.GLASS WIDTH (OPTION)	1200 / 1800 MM	**MIN.GLASS SIZE**	200*200 MM
GLASS THICKNESS	2.8-12 MM	**POWER/SIZE/WEIGHT**	DEPEND ON MOTOR's QUALITY
THE SPEED OF WIDTH	2 M/MIN	**THE SPEED OF TRANSMISSION**	1-12 M/MIN
WORKING HEIGHT	920 ±20 MM		





NAITRI ENTERPRISE



GLASS SMALL HOLE
DRILLING MACHINE

PROCESSING MAX. GLASS SIZE	1100*600 MM	**GLASS THICKNESS**	3-12 MM
HOLE SIZE	3-30 MM	**WORKING HEIGHT**	860±20 MM
DRILLING ACCURACY	±0.15 MM	**POWER**	8 KW
MACHINE DIMENSIONS	1800*1500*1800 MM	**WEIGHT**	800 KG



GLASS DOUBLE BIG
HOLES DRILLING MACHINE

PROCESSING MAX. GLASS SIZE	800*500 MM	**GLASS THICKNESS**	6-10 MM
HOLE SIZE	50-230 MM	**WORKING HEIGHT**	860±20 MM
DRILLING ACCURACY	±0.30 MM	**POWER**	8 KW
MACHINE DIMENSIONS	1300*1300* 1800 MM	**WEIGHT**	800 KG

NAITRI ENTERPRISE



GLASS STRAIGHT LINE
DOUBLE EDGING MACHINE

MAX. GLASS WIDTH	2600MM,3000MM, 4200MM, 4500MM		
MIN. GLASS WIDTH	240 MM	**GLASS THICKNESS**	3-25 MM
SINGLE GRINDING	1-3 MM	**GRINDING AMOUNT**	1-3 MM
TRANSMISSION SPEED WITHOUT GLASS	0.5 M/MIN-12 M/MIN	**DIAGONAL ERROR FOR GLASS**	0.5 MM/M
PARALLEL ERROR FOR GLASS	0.2 MM/M	**POWER**	85 KW





NAITRI ENTERPRISE



GLASS AUTOMATIC HORIZONTAL

SANDBLASTING MACHINE

ITEMS	Parameter Values						
	GDS1300	GDS1600	GDS2000	GDS2100	GDS2200	GDS2600	GDS3100
Overall Dimensions (mm)	3000*2200*2000	3000*2500*2000	3000*2900*2000	3000*3000*2000	3500*3100*2000	3500*3500*2000	4300*4200*2000
Max. Glass Width (mm)	1200	1500	1900	2000	2100	2500	3000
Min. Glass Size (mm)	200*200	200*200	200*200	200*200	200*200	200*200	300*300
Total Power	4.8	4.8	7.1	7.1	7.1	9.9	10.25
Weight (kg)	1.8T	2.0T	2.4T	2.45T	2.55T	2.8T	3.2T
Side Column Spacing (mm)	1300	1600	2000	2100	2200	2600	3100
Output	50.4	63	79.8	84	88.2	105	126
Dust Collector Power	0.75	0.75	1.1	1.1	1.1	2.2	2.2



TRIPLE CROSS BELT

GRINDING MACHINE

MAX. PROCESSING SIZE	1500x2000mm
MIN. PROCESSING SIZE	300x300mm
POWER	4.6kW
INSTALLATION SIZE	2000x1800x1700mm
WEIGHT OF MACHINE	350kg
CHAMFERING SAND BELT LENGTH	2700mm
BOTTOM GRINDING SAND BELT LENGTH	1660mm

NAITRI ENTERPRISE



FLAT GLASS TEMPERING FURNACE :
RADIATION OR CONVECTION

MAXIMUM SIZE	600x 2500 mm	800x 3200 mm	1200x 4000 mm	1500x 3000 mm	1800x 3660 mm	2000x 3660 mm	2440x 3660 mm	2440x 4200 mm	2440x 5000 mm	2800x 5000 mm	2800x 6000 mm	3000x 6000 mm	3300x 6000 mm
MINIMUM SIZE	80x 80 mm	100x 50 mm	160x 100 mm	180x 100 mm	200x 100 mm	250 x 100 mm	300x 150 mm	300x 150 mm	300x 150 mm	300x 200 mm	300x 200 mm	330x 200 mm	350x 250 mm
GLASS THICKNESS RANGE	2.85-19 mm	2.85-19 mm	2.85-19 mm	3.5-19 mm	3.5-19 mm	4-19 mm	4-19 mm	4-19 mm	4-19 mm	4-19 mm	4-19 mm	5-19 mm	6-19 mm
PRODUCTION CAPACITY	3mm: 21-23 loads/H	3mm: 21-23 loads/H	3mm: 21-23 loads/H	5mm: 15-17 loads/H	5mm: 15-17 loads/H	5mm: 15-17 loads/H	5mm: 15-17 loads/H	5mm: 15-17 loads/H	5mm: 15-17 loads/H	5mm: 15-17 loads/H	5mm: 15-17 loads/H	5mm: 15-17 loads/H	6mm: 13 loads/H
RECOMMENED TRANSFORMER POWER	180 KVA	300 KVA	530 KVA	450 KVA	500 KVA	500 KVA	550 KVA	630 KVA	800 KVA	1000 KVA	1100 KVA	1200 KVA	1300 KVA

FLAT & BENDING GLASS TEMPERING FURNACE

FLAT MAX. SIZE	FLAT MIN. SIZE	FLAT GLASS THICKNESS RANGE	BENDING MAX. SIZE	BENDING MIN. SIZE	BENDING GLASS THIC. RANGE	MIN. & MAX. RADIUS	RECOMMENED TRANSFORMER POWER
1200x4000mm	200x350mm	2.85-12 mm	1200x 800 □ mm	200x350 □ mm	4-12 mm	450mm≤R≤8000mm	530KVA
1500x3000mm	200x350mm	3.5-12 mm	1500x1000 □ mm	200x350 □ mm	4-12 mm	500mm≤R≤8000mm	450KVA
2000x4200mm	300x350mm	4-12 mm	2000x1200 □ mm	300x350 □ mm	5-12 mm	600mm≤R≤8000mm	600KVA
2440x3660mm	300x350mm	4-19mm	2440x800 □ mm	300x350 □ mm	5-12mm	450mm≤R≤8000mm	550KVA
2440x4200mm	300x400mm	4-19mm	2440x1000 □ mm	300x400 □ mm	5-12mm	500mm≤R≤8000mm	630KVA
2440x5000mm	300x400mm	4-19mm	2440x1500 □ mm	300x400 □ mm	5-12mm	800mm≤R≤8000mm	800KVA

NAITRI ENTERPRISE

WHEELS



FULL SEGMENTED DIAMOND WHEEL (HIGH SPEED) :

SIZE: 175 X 22 X 10 X 15
GRITT : 140#

FULL SEGMENTED DIAMOND WHEEL

SIZE : 175 X 12 X 10 X 15
GRITT : 100#





CONTINUOS DIAMOND WHEEL

SIZE: 175 X 12 X 10 X 10
GRITT : 240#

INNER SEGMENTED DIAMOND WHEEL :

SIZE: 175 X 12 X 8 X 10
GRITT : 140#





INNER SEGMENTED DIAMOND WHEEL

SIZE: 175 X 50 X 8 X 12
GRITT : 140#

NAITRI ENTERPRISE

HIGH SPEED SEGMENTED DIAMOND WHEEL (DOUBLE EDGER) :

SIZE : 175 X 50 X 15 X 10 I GRITT : 100#







FULL SEGMENTED DIAMOND WHEEL

SIZE: 150 X 12 X 15 X 10

GRITT : 100#

CONTINUOS DIAMOND WHEEL

SIZE: 150 X 12 X 8 X 8

GRITT : 100#







CONTINUOS DIAMOND WHEEL

SIZE : 130 X 12 X 8 X 8

GRITT : 240#

CONTINUOS DIAMOND WHEEL (BEVELLING MACHINE) :

SIZE: 150 X 22 X 5 X 12

GRITT : 140#



NAITRI ENTERPRISE





OUTER SEGMENTED DIAMOND WHEEL (BEVELLING MACHINE) :

SIZE: 150 X 22 X 8 X 12
GRITT : 100#

BEVELLING DIAMOND WHEEL (SEVEN STAR)

SIZE: 150 X 22 X 5 X 12
GRITT : 100/180#









RESIN WHEEL (FULL SEGMENTED) :

SIZE : 175 X 22 X 20 X 15
GRITT : 240#

RESIN WHEEL

SIZE: 175 X 12 X 15 X 12
GRITT : 240#





RESIN WHEEL

SIZE: 175 X 12 X 10 X 10
GRITT : 180#

NAITRI ENTERPRISE

SEGMENTED RESIN WHEEL

SIZE: 150 X 12 X 20 X 15
GRITT : 240#





RESIN WHEEL

SIZE : 150 X 50 X 20 X 12
GRITT : 240#

RESIN WHEEL

SIZE: 150 X 12 X 15 X 12
GRITT : 240#





CONTINUOS BEVELLING RESIN WHEEL

SIZE : 150 X 22 X 15 X 12
POSITION NO. : 3 / 4 / 5 / 6 #

SEGMENTED BEVELLING RESIN WHEEL

SIZE: 150 X 22 X 15 X 10
POSITION NO. : 3 / 4 / 5 / 6#



NAITRI
ENTERPRISE



DIAMOND PENCIL/ FLAT EDGE WHEEL

SIZE: 100 / 150 / 175 X 22 X 3,3.2,3.5,4 mm
GRITT : 100 / 150 / 180 / 240 #

DIAMOND PENCIL/ FLAT EDGE WHEEL

SIZE: 100 / 150 / 175 X 22 X 5,6,8,10,12 mm
GRITT : 100 / 150 / 180 / 240 #





10S40

SIZE: 150* 70* 40
130* 60* 35

10S60

SIZE: 150* 70* 40
130* 60* 35





10S80

SIZE: 150* 70* 40
130* 60* 35

NAITRI ENTERPRISE

ITALIAN POLISH WHEEL ALFA 40

SIZE : 150* 70* 40





ITALIAN POLISH WHEEL ALFA 60

SIZE : 150* 70* 40

X5000

SIZE :
150* 70* 40



BD Wheel

SIZE : 100 / 150 * 22*
15 / 20 / 25 / 30





BK Wheel

SIZE : 175MM

GRITT : 120#, 240#



GH01

SIZE :
150* 70* 40

EDGE DELETION WHEEL

SIZE : 200* 76.2*
8 / 10 / 12 / 15 / 20 MM



NAITRI ENTERPRISE



ADJUSTABLE METAL BOND DRILL BIT

Size : 100 mm To 280 mm





SPARE BLADE



DRILL BIT DRESSING STONE



ELECTROPLATED COUNTER BIT

Size : 25/35/50 mm



HIGH SPEED DRILL BIT

Size : 5-12 mm

ELECTROPLATED DRILL BIT

Size : 3-150 mm



METAL BOND COUNTER BIT

Size : 25/35/50 mm





METAL BOND DRILL BIT (Threaded)

Size : 5-100 mm
Length : 75-95 mm



METAL BOND OBLIQUE DRILL BIT & ADAPTOR

Size : 6-48 mm

NAITRI ENTERPRISE

GLASS GRINDING BELT (Dry & Wet)

Size : 610 X 100 I 1000 X 80 I 1600 X 100 I 1800 X 100 I
1800 X 150 I 2000 X 80 I 2000 X 100 I 2650 X 100 I 2700 X 100
Gritt : 40#, 60#, 80#, 100#, 120#, 150#,
180#, 220#, 400#





METAL BOND CUTTING DISC

Size : 100 mm



GLASS CUTTING BLADE

GLASS GRINDING WHEEL

Size : 100 mm x 7 mm x 16 mm
100 mm x 9 mm x 16 mm
Gritt : 46#, 60#, 80#, 120#,





FLAP DISC

Size :
100 mm x 6 mm x 16mm
Gritt : 80#



ELECTROPLATED DIAMOND BLADE

Size : 100 mm

HAND STONE

Size : 100 mm



BELT WHEEL

Size : 100 mm





WOOLEN FELT WHEEL

Size : 100 mm



WOOLEN FELT WHEEL (Namda)

Size : 18" X 18"

NAITRI ENTERPRISE

CERIUM POWDER
Colour : Pink



GREEN OXIDE
Colour : Green





CERIUM NE - 04
Colour : White



DIAMOND SAW WIRE
Size : 12 Inch

ELECTROPLATED DIAMOND FILE
Specification : Flat, Round, Half Round
Size : 6 mm, 10 mm



HAMMER
Size : Small / Big





BSW PLIER
Size : 8 mm



PLIER
Size : 8 mm

PLIER
Size : 12 mm



SMALL PLIER
No.: 1 | 2 | 3 | 4 | 5





CHIPPER



RED HANDLE PLIER
Size : 3 - 8 mm

NAITRI ENTERPRISE

GLASS LIFTING CLAMP

Weight Capacity :
500 kg. I 1000 kg.





GLASS BREAKER



GLASS BREAKER

Small (3mm To 6mm)
Medium (6mm To 12mm)
Big (6mm To 19mm)





1 CUP VACCUM LIFTER



2 CUP VACCUM LIFTER

3 CUP VACCUM LIFTER



VACCUM PAD





ARM GUARD



HAND GLOVES

HAND PROTECTION SLEEVE



ACID GLOVES



NAITRI ENTERPRISE

SAND BLASTING GUN
(Super Spray)



AIR BRUSHING COLOUR GUN
(Pilot - 68 S)





AIR BRUSHING COLOUR GUN
(Wagema - 2000)



AIR BRUSHING COLOUR GUN
(Super Spray)

HVLP GUN
(Wagema H-827)



AIR BRUSHING COLOUR GUN
(Pilot - 64)





PEN GUN
(Art Master Jumbo Plus)



PEN GUN
(Art Master Jumbo)

PEN GUN
(Pilot AB - 12)



AIR JUNCTION AIR FILTER





SAND BLASTING GUN NOZZEL
(Metal, Ceramic & Plastic)



PEN GUN NOZZLE & NEEDLE

NAITRI ENTERPRISE



GLASS ETCHING STICKER ROLL

Size :

C - 0 - 20"

C - 1 & G - 1 = 20", 25" - Normal

Super / Pink = 20", 25" - Normal & Plotter

C - 2 & P - 2 = 20", 25", 30" - Normal & Plotter

C - 3 & P - 3 = 25", 30" - Normal & Plotter

BACK PAINT SHADE CARD



BACK PAINT





BACK PAINT



PAPER CUTTER

PAPER CUTTER BLADE

Size : 9 mm / 18 mm



NANO COATING





AIR BRUSHING COLOUR

SHADE :

Black | Blue | Green | Coffee Brown | Golden Yellow | Lemon Yellow

Orange | Pink | Red | Royal Blue | Violet | Maroon

NAITRI ENTERPRISE

U.V. GLUE / U.V. GEL
(250 gm)





U.V. GLUE
(100 gm)



U.V. GLUE
(100 gm)

U.V. GLUE
(2 kg)



MIRROR BRACKET
Size : 6" / 8" / 12"
2.25" / 2.5" / 3"





SPEED CONTROLLER
230V / 50HZ, 3000W



SPRING CLAMP
SMALL I BIG

U.V. LIGHT
12"-8W I 18"-36W



M.S. STENCIL





OLFA PAPER CUTTER



SLIDING STICKER





N-ZONE
CUTTER PLASTIC



N-ZONE
CUTTER
METAL BODY



DIAMOND
GLASS
CUTTER





HY CUTTER

Blue Handle
2 - 8 mm



TC-30V

TC-21 | TC-30 | TC-90





YGD-2 | YGD-3 | YGD-4 | YGD-6

HY CUTTER

Clear Handle
6 - 12 mm



TILE / GLASS
CUTTER



NAITRI
ENTERPRISE



VACCUM STAND



DIAMOND
COMPASS HEAD



GLASS ROUND CUTTER

DIAMOND COMPASS
Size : 6" I 12" I 18" I 24" I 36"



WHEEL COMPASS
Size : 6" I 12" I 24"



WHEEL COMPASS HEAD



SPARE CUTTING HEAD



WHEEL COMPASS
Size : 6" I 12" I 18" I 24"







NAITRI ENTERPRISE

T-CUTTER

Size :

2 Feet (610 mm)

3 Feet (915 mm) | 4 Feet (1220 mm)

5 Feet (1525 mm) | 6 Feet (1830 mm)



T-CUTTER HEAD
With Oil Tank



T-CUTTER HEAD



T-CUTTER WHEEL

NAITRI
ENTERPRISE



ALU. PLATE
Size : 150 X 50 X 12
130 X 50 X 12



ALU. PLATE
Size : 150 X 70 X 22

ALU. PLATE
Size : 150 X 105
X 22



ALU. CONVERTER
Size : 22 mm to 12 mm
Size : 50 mm to 12 mm





ALU. COVER
Size : 95 x 12 I 75 x 12



ALU. HOLDER
Size : 150 X 40 - 50 X 30
130 X 40 - 50 X 30

ALU. HOLDER
Size : 95 x 30



ALU. HOLDER
Size : 90 x 40 x 30





ALU. WATERPROOF COVER



WATER PIPE
Big I Medium I Small

FLAT HEAD UNIVERSAL SHAFT



SLEEVE UNIVERSAL AXIS
Size : 340 x 40 x 40



NAITRI ENTERPRISE



SUPPORT WHEEL



KAVLOR ROPE
(100 MTR ROLL)
Size : 10 mm X 3 mm, 10 mm X 3.5 mm, 12 mm X 3 mm, 12 mm X 4 mm, 6 mm X 6 mm



CONVEYOR CHAIN
Size : 126 Knots

PU ROPE
(100 MTR ROLL)
Size : 8mm, 10mm, 12mm



PU TIMING BELT
Size : As Per Requirement





METAL CHAIN
Size : 112 Sections



CLOTH BRUSH
(10 MTR)
Size : 70 cm, 80 cm, 90 cm, 100 cm

IRON BRUSH
Size : 75 x 1.72 mtr.



CASTOR WHEEL
Size : M - 8 X 60
M - 10 X 60





FURNACE WHEEL



WHEEL FOR RACK

BACK SIDE METAL CHAIN BEVELLING MACHINE




FRONT SIDE METAL CHAIN BEVELLING MACHINE



NAITRI ENTERPRISE





BEVELLING MACHINE PAD



BEVELLING MACHINE PAD



EDGING MACHINE PLASTIC PAD



EDGING MACHINE PLASTIC PAD WITH RUBBER



EDGING MACHINE RUBBER PAD



EDGING MACHINE RUBBER PAD



EDGING MACHINE RUBBER PAD BIG CAPSULE



EDGING MACHINE RUBBER PAD CAPSULE



EDGING MACHINE RUBBER PAD SMALL CAPSULE

NAITRI ENTERPRISE



AUTO LOADER VACUUM WITH ALUMINIUM PLATE

Size : 210 x 16 mm



AUTO LOADER VACUUM

Size : 210 x 18 mm



BIG SUCKER

Size : 250 mm



WATER PROOF COVER

Size : 110 X 65 mm



WATER PROOF COVER

Size : 140 x 100 mm



WATER PROOF COVER

Size : 155 x 100 mm



WATER PROOF COVER

Size : 160 x 90 mm



WATER PROOF COVER

Size : 100 x 70 mm



WATER PROOF COVER

Size : 130 x 70 mm



WATER PROOF COVER

Size : 155 x 70 mm

NAITRI ENTERPRISE



DRILL MACHINE BUFFER

150 kg.



STARLIKE HANDLE



ANALOG DIAL GAUGE



RUBBER ROLLER

Size : As Per Requirement



WHITE SPONGE ROLLER

Size : As Per Requirement
(Washing Machine)



BRUSH ROLLER

Size : As Per Requirement
(Washing Machine)



TOUCH SENSOR

Type : ON/OFF | ON/OFF + Dimmer
Dual + Dimmer | Swipe | Motion



THERMOCOUPLE



CORK PAD

Size : (3mm + 1mm) 14.2 X 14.2mm
(1.5mm + 1mm) 15 X 15mm



RELAY-80A

SAP4880D



HRC FUSE

Type : 40A / 80A



SSR-SAM4080D
SAM40100D
SAM40120D

NAITRI ENTERPRISE



AMPEREMETER



VOLT METER



RCCB



ROTARY SWITCH



PUSH BUTTON



EMERGENCY SWITCH



LINEAR POTENTIAL METER



SOLENOID VALVE



CONTACTOR



THERMAL OVERLOAD REPLAY



TRANSFORMER



VFD

NAITRI ENTERPRISE



THICKNESS METER

Size : 0912 - 3.0I
0912 - 3.0E
0912 - 4.0I
0912 - 4.0E
0912 - 5.0E



GLASS CUTTING TOOLS

135° / 140° / 142° / 145° / 150° / 155°



GLASS CUTTING TOOLS (BOHLE)



GLASS CUTTING WHEELS (BOHLE)



CUTTING TOOL HOLDER



GLASS CUTTING WHEELS (BOHLE)



GLASS CUTTING WHEELS (BOHLE)



WORM GEAR



TAPER GEAR



SPRING PUNCH



FOAM TAPE



MOTOR HANDLE



DRILL MACHINE WATER JOINT

NAITRI ENTERPRISE











WATER PUMP FAN LEAF



THREE PHASE INDUCTION MOTOR

415v / 50hz, 1440 / 2840 RPM

1.5kw | 2.2 kw





THREE PHASE INDUCTION MOTOR

415v / 50hz, 2840 RPM

1.5kw | 2.2 kw





WATER PUMP

3 Phase 415v /

50hz, 250watt





WATER PUMP

3 Phase 415v /

50hz, 125watt



110 + 110 GEAR BOX



250W-100 LPM



750W-400 LPM

NAITRI ENTERPRISE



GLASS CUTTING OIL



RUBBER STICKER



SCRATCH REMOVAL KIT



PORTABLE BELT SANDER



PORTABLE DRILLING MACHINE

Speed Adjustable 0-4500 RPM
Max. Hole dia - 100 mm, 230v / 50hz, 680 Watt Straight shank drill



PNEUMATIC CORNER EDGING MACHINE

Wheel Size : 100 x 22 mm



PORTABLE GLASS GRINDING MACHINE

Wheel Size : 100 x 22 mm



BUFF STAND



BELT MACHINE

NAITRI ENTERPRISE

Authorized Agent For :

THUNDER

FUSHAN 富山



Eastglas

TBR TIMBERY TECHNOLOGY

GUDETECH

N-ZONE™
QUALITY FOREVER

NAITRI ENTERPRISE

Deals in All Types of Glass Cutting, Polishing, Designing Materials,
Glass Machinery & Glass Machine Accessories

www.naitriglasstools.com | www.glasstoolsandmachine.com

info@naitriglasstools.com | naitriglass@gmail.com

+91-98795 24439 | +91-99090 95004 | +91-99254 14822

Plot No. 107, Shiv Ashish Industrial Society-1, Nr. Volkswagen Show Room,
New Bamroli Road, Udhna, Surat - 394 210 (Guj.) INDIA.