30 YEARS EXPERIENCE | SK | skglass machines

Performance
Serviceability
Reliability

Built In India
Built For India

Get In Touch

S. K. GLASS MACHINES (INDIA) PVT. LTD.

Address - D-9, Meerut Road Industrial Area, Ghaziabad, Uttar Pradesh

Sales Team - +91 93100 13944 / +91 84488 50970 / +91 93100 47273 / +91 93104 13942

sales@skglassmachines.com

www.skglassmachines.in

Sales

Support

Spare Parts

SK GLASS

India's Largest Glass Machine Manufacturer



Machine Processing Catalogue













2025-26


www.skglassmachines.in

S.K. GLASS MACHINES (INDIA)


Advanced Glass Processing Solutions

Advanced and Flexible Glass Processing Solutions

CNC Glass Cutting Line



12 Motor Stove Glass Pencil Round Double Edger Line



High Speed Intelligent Servo Double Edger Machine



Ball Bearing Bevelling Machine



Glass Straight Line Bevelling Machine



Glass Seaming & Grinding Machine





CNC Glass Work Centre

Home Appliance Glass Edging Line

3 Heads Glass Double Drilling Machine



Glass Vertical CNC Designing Plotter





Waterjet Glass Cutting Machine Round

Glass Horizontal Sand Blasting Machine



Automatic CNC Glass Drilling Machine



ARCHITECTURAL

- Architectural Low-e Tempering Lines
- Bevel Grinding Machine
- High Speed Washing Machines
- Four Side Seaming Machines
- Drilling Machines
- CNC Double Edge Processing Lines
- Screen Printing Lines
- Architectural Glass Handling Solutions
- Glass Lamination Line EVA I PVB | SGP
- Glass Straight Line Edging Machine

APPLIANCES

- LED Glass Tempering Lines
- Stove Glass Drilling Lines
- CNC Corner Grinding Lines
- Stove & Chimney Glass Edging Lines
- Refrigerator Shelf & Door Grinding Lines

AUTOMOTIVE

- Automotive Bend Tempering Lines
- Cutting Breaking Grinding Lines
- Edge Grinding Solutions
- Automotive Drilling Systems
- Complete Automotive Washing Solutions
- Automotive Laminated Lines

Glass Straight Line Edging Machine (SKE - Series)

SKE is the range of S K Glass Straight Line Edge Grinding for Flat Edge Polishing.
There are 3 Models that allow flat edge with arris & special multi angle grinded edge.

SKE-09 + SKE-09A + SKE-10 SS

[CHAIN DESIGN]





powered by HAVELLS

SKE-09

Glass Straight Line Edging Machine (Nine Spindles)


SKE-09A

Glass Straight Line Edging Machine (Nine Spindles)
45° Variable Edge

SKE-10 SS

Glass Straight Line Edging Machine (Ten Spindles)





Product Highlighted:

- Meet our Best Seller! This machine is working at hundreds of fabricators and tempering factories in all parts of India.
- SKE-09 is a 9-spindle robust machine designed for processing of flat glass polishing if highest quality. This machine is capable of polished and arris of 45 degree both ends of glass.
- SKE-09 has won over our customers with its ease of operation, durability, versatility and simplicity of control time and time again.
- SKS-09 & SKS-10 Machine with S.S. Cover & Tanks.

Specifications:

MODEL			MIN		KW		
SKE-09	.8-3 m/min	3 -19 mm	150 x 150	Flat with Arris	18 KW	3200 kg	6500 x 1000 x 2500 (L x W x H)
SKE-09A	.8-3 m/min	3 -19 mm	150 x 150	Flat with Arris Multiangle (45°)	18 KW	3200 kg	6500 x 1000 x 2500 (L x W x H)
SKE-10	.8-3 m/min	3 -19 mm	150 x 150	Flat with Arris	20 KW	3500 kg	6700 x 1000 x 2500 (L x W x H)

Heavy Base Design



Automatic Gearbox



Quality Polishing



Vibration proof spindles




Glass Straight Line Edging Machine (SKE - Series)

SKE is the range of S K Glass Straight Line Edge Grinding. There are 5 Models that allow flat edge with arris & grinded polished edge. Suitable for Big Glass factory with toughened units.

+ SKE-09 BV + SKE-10 BV

[HEAVY DUTY CHAIN DESIGN]

SKE-10 BV



SKE-09 R

Glass Straight Line Edging Machine
(Nine Spindles) Spindles

SKE-10 R

Glass Straight Line Edging Machine
(Ten Spindles) Export Design, Spindles





powered by

HAVELLS

SKE-10 R

HORIZONTAL RAILING GLASS EDGING MACHINE, 10 MOTORS

High processing precision, High work efficiency, convenient operation.

SK-09GR, SK-10GR & SK-11GR

SKE Glass Straight Line Ball Bearing Edge Machine

A specialized glass processing machine designed to grind and polish the flat edges of glass panels in a straight line. It's commonly used in architectural glass, furniture glass, mirrors, and shower enclosures where precise, smooth, and polished edges are required.

SKE-10 BB
Ball Bearing Glass Bearing Edging Machine

SKE-11 A
Ball Bearing, 0-45 Degree

SKE-12 BB
Ball Bearing Glass Bearing Edging Machine

SKE-12 BB ABB
Ball Bearing Glass Bevelling Machine

SKE-10 BB [BEARING TYPE]










SKE-11 A BALL BEARING, 0-45 DEGREE [BEARING TYPE]




Ball Bearing Design



Glass Thickness 30mm



Jumbo Glass Grinding




Fully Automatic



Glass Straight Line Round Edging Machine (SKR - Series)

skglass machines

Glass Round Pencil Edging Machine



For OG, Double OG, Triple OG, Pencil Edge & Other Profiles







Glass Pencil Edge

SKR-121
Four Spindles

SKR-121 BV
Four Spindles

SKR-2222
Eight Spindles

SKR-121 is a 4-spindle machine designed for processing of Flat glass for profile edges. 4 Spindle machine with 2 independent glass wheels for diamond cutting and 2 BD wheels for polishing. Another variant is available with 8 spindles, SK-2222.

This machine provides high quality polishing in all profiles.

Specifications:

Model			MIN	KW	
SKR-121	.8 - 3 m/min	3 - 25 mm	6" x 6"	11 KW	2000 kg
SKR-2222	.8 - 3 m/min	3 - 25 mm	6" x 6"	15 KW	3000 kg

Glass Straight Line Bevelling Machine (SKB-Series)

SKB is the range of SK Glass Machines India Straight Line Bevelling Machine Series.

+ SKB-09 LED
+ SKB-10 LED
+ SKB-10 PLC
+ SKB-11 LED DISPLAY



Automatic Pad Cleaning



Havells Motor



Highest Bevelling Speed



45mm Bevelling



Specifications:

MODEL			MIN		KW		
SKB-09 LED	.5 - 3 m/min	4 - 19 mm	40 X 40	Bevel	20 KW	2000 kg	6800 X 1500 X 2300 (L x W x H)
SKB-10 LED	.5 - 3 m/min	4 - 19 mm	40 X 40	Bevel	22 KW	2000 kg	6800 X 1500 X 2300 (L x W x H)
SKB-10 PLC	.5 - 3 m/min	4 - 19 mm	40 X 40	Bevel	23 KW	2200 kg	7000 X 1500 X 2300 (L x W x H)
SKB-11 LED	.5 - 3 m/min	4 - 19 mm	40 X 40	Bevel	26 KW	2200 kg	7000 X 1500 X 2300 (L x W x H)

SKB-09 LED DISPLAY

Glass Straight Line Bevelling Machine (Nine Spindles)

SKB-10 LED DISPLAY

Glass Straight Line Bevelling Machine (Eleven Spindles)

SKB-10 PLC

Glass Straight Line Bevelling Machine (Eleven Spindles)

SKB-11 LED DISPLAY

Glass Straight Line Bevelling Machine (Eleven Spindles)

Powered By CDQC





SKB-11 PLC DISPLAY

High Speed Intelligent PLC Bevelling Glass Lifting Machine


This Bevelling Machine is mainly used to process the bevel and bottom edge of Various Glass, such as Mosaic Strip Glass, LED Smart Mirror, Wall Panelling, Furniture Glass, Stove Glass, Craft Glass and Furniture Glass.

+ SKB-10 ABB Lifting
+ SKB-12 ABB Lifting PLC
+ SKB-13, ABB

SKB-13, MOTORS

50 mm Bevelling

(20mm X 20mm)
MOSAIC STRIP BEVELLING





SKB-10 ABB LIFTING

Glass Straight Line Bevelling Machine (Ten Spindles)

SKB-12 ABB PLC LIFTING

Glass Straight Line Bevelling Machine (Eleven Spindles)

SKB-13 MOTORS





Powered By ABB

Havells Motor



Double Lock Pad



Highest Bevelling Speed




Auto Oil Technology



Specifications:

MODEL			MIN	KW		
SKB-10 ABB	.8 - 5 m/min	3 - 15 mm	20 X 20	23.8 KW	4000 kg	6500 X 1500 X 2300 (L x W x H)
SKB-11 ABB PLC	.8 - 5 m/min	3 - 15 mm	20 X 20	26 KW	4500 kg	6500 X 1500 X 2300 (L x W x H)
SKB-12 ABB PLC	.8 - 5 m/min	3 - 15 mm	20 X 20	29 KW	4800 kg	6500 X 1500 X 2300 (L x W x H)



SKB-12 BB ABB

BALL BEARING (0-45^{0})


Horizontal High Speed Glass Rough Edging Machine


Glass Edge Polishing Machine (including Coated Glass)




Max. Glass Size:
2000X2000mm

SKEK-3








Before Folding




After Folding









Glass Shape Beveling and Edging Machine

30 YEARS EXPERIENCE | SK | skglass machines

Glass Shape Beveling and Edging Machine (SKS-151)



For OG, Double OG, Triple OG, Pencil Edge, Bevelling Round Glass & Small Mirror.

SKS-151

One Spindle

[0-15° BEVEL]







Dry Belt Grinding Machine (SKDB -Series)

SKVDB

Vertical Dry Belt Glass Edge



SKPC

Manual Polish Machine



SKHDB

Horizontal Dry Belt Grinding Machine



Glass Horizontal Sand Blasting Machine

SKHSB-2200/2600



Shower Door




LED Smart Mirror



Office Partitions



Frosted Plain Glass



Switchable Sheets



Product Description:

The SKSB Frosting machine blow sand approach to the design, automatic sand processing and the avoidance of air compressor equipment, energy saving and environmental protection. This machine is fast, production output is more and is very energy efficient. Some major applications are for LED mirror, Shower Door Design, Full Frosted Wholesale Sheets, Office Slim Partitions, Etching and Designing Balcony Railings Glass.

Sand production capacity of fine-tuning, processing on the surface of uniform, processing speed.

Model	SKSB 2200	SKSB 2600
Max Precessing Width	2100mm - 7 Ft	2500mm - 8 Ft
Min Size	100X100mm	100X100mm
Glass Thickness	3-19mm	3-19mm
Speed	0.2-1m/min	0.2-1.2m/min
Total Power	7.1KW	9.9KW
Size	3500X2900X2000mm	3500X3500X2000mm
Weight	2300kg	3500kg

Automatic Vertical Sand Blasting Machine

SKVSB-2000P/2200P/2500P



















Product Description:

SKVSB Series Glass Automatic Glass Sandblasting Machine have 3 kind full-automatic and manual functions, equipped with 3 automatically sandblasting guns and 1 manual sandblasting gun. The nozzles of guns are made by special material which can increase using life. It is composed of conveying section, sandblasting cabinet, auto sand spraying system, sand collection equipment and automatic control system, glass was conveyed into the cabinet, there has equipped with three guns, which are automatically applied to blast sand onto the surface of glass as per settled specifications on touch screen, also it is equipped with an extra manual gun which can be used by manual model. So this machine works fast, environment and easy operation.

Model	SKVSB 2000	SKVSB 2200	SKVSB 2500
Max Height	1600mm	2000mm	2500mm
Min Size	200*200mm	200*200mm	200*200mm
Glass Thickness	3-19mm	3-19mm	3-19mm
Speed	20-25^2/h	20-30^2/h	20-30^2/h
Total Power	3.5kw	3.19kw	3.5kw
Size	4700x1500x2300mm	6800x4700x2800mm	6800x4700x3300mm
Package Size	2400x1800x2200mm	2800x1800x2250mm	3300x1800x2250mm
Weight	1000kg	1000kg	1200kg

Full Automatic CNC Glass Cutting Line

The glass CNC Cutting Line is made up of three units , the Glass Loading , Cutting Table and XY breakout table.



Magnetic Levitation Precision Glass Cutting Machine

SK-CNC-6133 10X20 Ft



Automatic Glass Cutting Machine



Tilting Glass Cutting Machine



Integrated Glass Cutting Machine



Integrated Glass Cutting Machine



SK-CNC-4228 9X14 Ft

High-precision Glass Cutting Machine




Multi-blade Glass Cutting Machine


Glass Loader with Breakout Table

Glass Double Sided Automatic Loader

SK-CNC-5133 10X16 Ft



Layout of Full Jumbo CNC Cutting Line



Available Size

2436	8X12 Ft
4828	9X14 Ft
5133	10X16 Ft
6133	10X20 Ft

MORE OPTIONS

- Manual Loading Glass Cutting Machine
- Multi functional Moveable Glass Cutting Machine **(SK-CNC-2720)**
- Multi functional Wheel Mobile Glass Cutting Machine **(SK-CNC-3826D)**
- Fully Automatic Glass Cutting Line, Dual-Sided Loading **(SK-CNC-5133)**
- Laser Marking, Fully Automatic Glass Cutting Line, Dual-Sided Loading **(SKC-QR-CNC-6133)**
- Intelligent Glass Sorting System, Multi-Position For DGU Line
- Insulated Glass Production Line Connection
- Multi functional Moveable Glass Cutting Machine **(SK-CNC-3826/3829)**
- Fully Automatic Glass Cutting Line, Dual-Sided Loading **(SK-CNC-4228)**
- Edge Removal Fully Automatic Glass Cutting Line, Double-Sided Loading, **(SK-CNC-6133)**
- Automatic Robotic Arm Loading Multi functional Glass Cutting Machine
- Smart Glass Raw Material Storage & Intelligent Handling **(SK-Smart-5133)**
- Air Floating Table Automatic Flip Machine **(SKBT-4029)**

Laser Technology for Toughened Glass
(Inside Glass Frosting)

SK-2036/2042



6X12 Ft
8X12 Ft



Sub Surface Laser
Engraving Machine



Shower Enclosure | Bathroom Mirror | Hotel Lobby Entrance | Hotel Lobby | Sliding Glass Doors | Bar and Liquor Display De-coated Office Door | Engraved Office Door – Words | Engraved Office Door – Abstract | Wall Art Kitchen Backsplash Kitchen Table | Office Divider Wall | Engraved Facade | De-coated Mirror | Engraved Interior Doors with Satin Finish 2D Glass Engraving | Wall Partition | Party Table | Door Partition

Infrared PICO Laser Glass Cutting Machine & Double Station Rear Mirror & Glass Splitted Machine






SKLC-6070

High Precision | High Efficiency | Minimal Chipping | Various Hole Shapes | Smooth without burrs

Laser Glass Drilling Machine



SKLC-1280




UTG Glass Cutting | Glass Laser Cutting Solution | Glass Laser Drilling Solution | Glass Laser Marking Solution

Glass CNC Engraving Machine

Glass V GROOVE/ ENGRAVING/ BEVELING machine is a machine which can engrave, curve different patterns or figures (mainly lines or stripes) on flat glass. CNC Glass V GROOVE machine is a high-tech processing center specializing in flat galss engraving, which can directly import CAD drawing, automatically generate optimized tool path, perfect processing.

SK V GROOVE MAX-3019





SK V GROOVE MAX-2516





Automatic Glass Milling & Cutout Machine

SK-GL-2510






> Hanging Wheel
> Glass Door Hinges
> Special-shaped Glass Cutting
> Wardrobe Door Handle
> Round Hole on Glass
> Door Clip

Applications:
Suitable for toughened factories door cut out milling and opening, glass shower notches, glass sliding door clip, hinge hole, and milling type of keyhole for minimalist glass doors and aluminium door windows factories.

Automatic Glass Continuous 1 Head / 2 Heads / 3 Heads
Milling & Drilling Machine



Especially Designed for Shower Door, Minimalist Glass, Slim door & Centre Cutouts.


Horizontal Glass Double Drilling Machine (SKD - Series)

SKD-36"






SKD-48"



Product Highlights :

- Maximum hole Centre distance (Ranging from 36" to 48")
- 3 Variable speeds: from 500 to 4000 rpm
- Automatic device for the ejection of the glass pieces removed from the sheet.
- Core drill water supply to perform chip less drilling of the thicker glass

SPECIFICATIONS	↔	↕	KW			OPTION	TRAVEL
SKD-36	3 - 120 mm	3 - 25 mm	3.5 kw	800 kg	2000 x 1900 x 1500 (L x W x H)	Semi/Fully	Nil
SKD-48	3 - 120 mm	3 - 25 mm	3.5 kw	1000 kg	2000 x 1400 x 2500 (L x W x H)	Semi/Fully	Nil
SKD-36 CNC	3 - 25 mm	3 - 12 mm	4 kw	1300 kg	2000 x 1400 x 2500 (L x W x H)	CNC	Nil



Optional Models:-

Automatic with the drilling heads.
with the drilling heads. Adjustable according to the glass thickness.

Semi automatic with the lower drilling Head automatic and the upper head manual with lever.

SK Glass Drilling Machine (Architectural Glass)

skglass machines


Horizontal Glass Drilling Machine

SKD-03" 3 HEADS




Model	SKD-03, 3 Heads
Max. Size	2200X3000mm
Thickness	3-40mm
Hole Diameter	5-110mm
Weight	850Kg
Total Power	9KW
Size	2200X2150X1600mm


SKD-02" 2 HEADS



Model	SKD-02, 2 Heads
Max. Size	2200X3000mm
Thickness	3-40mm
Hole Diameter	5-110mm
Weight	850Kg
Total Power	7KW
Size	2500X2150X1600mm











Automatic Stove Glass Double Head Drilling Machine (Big Hole)

SKD-SERVO-02



Model	SKD-SERVO-02
Spindle QTY	2 Group
Glass Size	1200*800mm
Chamfer Radius	3-12mm
Precision	+/-0.05mm
Weight	1000kg
Total Power	5KW
Dimension	2200*1800*1200mm

PLC and touch screen are used to realize the automatic control of 2 sets of servo shaft linkage; two sets of independent spindles are drilled on both sides, and single-station or double-station operation can be set, which is simple and efficient.

Automatic Stove Glass Internal Grinding Machine

CNC will automatically adjust the hole distance and speed according to each parameter setting, and the hole distance dimension accuracy is ±0.5mm.

Model	SKIG-01A
Spindel Num	1
Glass Thickness	4-10mm
Glass Size	800X600mm
Weight	300Kg
Power	6KW
Dimension	80-250mm
Aperture	800-235mm



SKIG-01 A



Glass Double Edger & Loading Robots

Jumbo Home Appliance Loading Robot



Size: 1900X800mm

Home Appliance Loading Robot



Size: 900X600mm

Dual Two Stations Combined Loading Robot



Size: 900X600mm

DGU Robot



SK-DGU-06

Glass Double Edger Robot



SK-RT 0906









Automatic CNC Glass Drilling Machine (Stove & Chimney Glass)

X Y PLC Automatic Double Head CNC Glass Drilling Machine

SK-XY-2008-II DOUBLE HEAD



Technical Specification:

- Servo Motor Positioning
- Top & Bottom Automatic CNC Drilling
- 4 Drilling Work Stations
- Precision 0.1mm Positioning
- Drilling Diameter 4-45 mm
- Multiple Batch Production



X Y PLC Automatic Single Head CNC Glass Drilling Machine

SKD-XY-1508 SINGLE HEAD



Technical Specification:

- Servo Motor Positioning
- Top & Bottom Automatic CNC Drilling
- 2 Drilling Work Stations
- Precision 0.1mm Positioning
- Drilling Diameter 4-45 mm
- Multiple Batch Production

Stove Glass



Chimney Glass



Automotive Glass



Solar Glass



Microwave Glass




Automatic CNC Glass Double Head Drilling Machine

skglass machines

X Y PLC Automatic Double Head CNC Glass Drilling Machine

SK-XY-2008-II DOUBLE HEAD



X Y PLC Automatic Single Head CNC Glass Drilling Machine

SKD-XY-1508 PLC SINGLE HEAD



Stove Glass



Chimney Glass



Automotive Glass



Solar Glass



Microwave Glass



Aluminium Mirror Frame Bending Machine

DOUBLE SIDE BENDING

SK-AD150




CNC WINDOW/DOOR BENDING MACHINE

SKCN-20T



SKM-50



SINGLE SIDE BENDING

SK-WY-9



- **Material :** Aluminum Profile, Stainless Steel
- **Process Shape :** Circle, Ellipse, Runway Circle, Polygon & Irregular Figure
- **Industry Application :** Frame, Mirror Frame, Decorative Picture, Ceiling, Lamps and Lanterns, Advertising, Furniture & Metal Forming Industry






Our Exhibitions



















