BASCO
TOOL PVT LTD



Tools for

UPVC & ALUMINUM

WINDOW/ DOORS PROCESSING

Mfg & Service Of Carbide Tools & Tct Saw Blade
For Wood, Plastic, Aluminum, PVC UPVC, Ferrous
& Non Ferrous Metal Industries

BASCO TOOL PVT LTD

Regd Off.: Plot No. D-39, HSIIDC Shed, Sector 31, **Faridabad**.

Sales & Serivices
Mohali : Plot no 544, Industrial area Phase-9 Mohali Punjab -160062
Moradabad : uttar Pradeshcommon Service Centre, Sec-6, B/102,
Delhi Roadnew Moradabad-244001
Bihar : C12 Hajipur Biada Industrial Area Pawan Chok Bihar
Yamunanagar : Plot No.54, Tyagi Garden, Gobindpuri, Asha Ram Ashram,
Yamunanagar-135 002(Haryana)
Bengaluru : No.03, 1St A Main Road, Near Muthud Finance, Shivapura Peenya
Industrial Area Bengaluru Urban-560 058

Contact: 0129-4004066, 9350291088
Email: bascotool@gmail.com

BASCO
TOOL PVT LTD





Tools for

UPVC & ALUMINUM

WINDOW/ DOORS PROCESSING









About Us

Basco Tool Pvt Ltd With Head Quarter In Faridabad-india

Basco Tool Pvt Ltd Specialize In Manufacturing Of High Quality Tungsten Carbide Tips Tooling For Making Upvc & Aluminum Window & Doors Industry

Major Part Of Standard Quality Is High Quality Raw Material And Best Tungsten Carbide Tips With Mass Production Capacity Basco Tools Have Wide Dealer Network

Basco Tool Pvt Ltd Has Entire Range Of Tooling For Upvc & Aluminum Industry To Complete Windows & Doors Making After Sales Of Tooling Basco Tool Pvt Ltd Provide Best Support For Your Informative Needs.



BASCO TOOL PVT LTD

for UPVC & ALUMINUM window/ doors processing

BASCO TOOL PVT LTD

www.bascotool.in

Cleaning Knife

Used For : Making Grooving In UPVC After Welding













Cleaning Machine



Manual Corner Cleaning Hand Tool



Manual Corner Cleaning Hand Tool

Moon Knife

Used For : Use for Manual Cleaning of UPVC Welding Residue





Step Drill

Used For : Making Counter Hole





Code	SD	CD	CL	OAL
BT-101	12	8	25	150
BT-102	10	8	25	150

Tripple Drill

Used For : Lock Hole Drilling in UPVC & Alluminum Doors





Code	SD	CD	OAL
BT-201	10	5	110

BASCO TOOL PVT LTD
www.bascotool.in

ACP Bending Blade

Used For : Use In CM-4 Machine





Code	DIA	BORE	THICK	TEETH
BT-301	100	20	4	6
BT-302	100	20	6	6
BT-303	100	20	8	6
BT-304	100	20	10	6
BT-305	100	20	12	6

Teflon Welding Tape





Cutter Arbors with HSK & ISO 30




Code	Length	BORE	Dia
BT-401	175	25.4	32
BT-402	200	25.4	35
BT-403	250	25.4	40

Water Solt Router Bits



ORDER NO.	CD (mm)	S.D. mm	THICK mm	O.A.L. mm	Z
BT.TS.16.8.5.100	16	8	5	100	4
BT.TS.25.8.5.100	25	8	5	100	4
BT.TS.32.8.5.100	32	8	5	100	6

Solid Carbide Counter Step Bits




ORDER NO.	D1. (mm)	D2 mm	S.D. mm	C.L.1 mm	C.L.2 mm	O.A.L. mm	Z
BT.CS.4.8.75	4	8	8	10	8	75	2
BT.CS.5.8.75	5	8	8	10	8	75	2

ORDER NO.	D1. (mm)	D2 mm	S.D. mm	C.L.1 mm	C.L.2 mm	O.A.L. mm	Z
BT.CS.5.12.100	5	12	12	15	12	100	2
BT.CS.6.12.100	6	12	12	15	12	100	2
BT.CS.8.12.100	8	12	12	15	12	100	2

Hss Single Flute Spiral Bit

FOR ALUMINUM CUTTING



ORDER NO.	C.D. (mm)	S.D. mm	S.L. mm	N.C. mm	O.A.L. mm	Z
BT.AL.5.25.80	5	8	25	-	80	1
BT.AL.5.14.125	5	8	14	65	125	1
BT.AL.6.14.80	6	8	14	-	80	1
BT.AL.8.14.80	8	8	14	-	80	1
BT.AL.10.14.80	10	8	14	-	80	1

BASCO TOOL PVT LTD
www.bascotool.in

Solid Carbide Single Flute Cutter For Copy Routers



ORDER NO.	C.D. (mm)	S.D. mm	C.L. mm	O.A.L. mm	Z
BT.ALC.581460	5	8	14	60	1
BT.ALC.681460	6	8	14	60	1
BT.ALC.581490	5	8	14/38	90	1
BT.ALC.6814100	6	8	16/45	90	1
BT.ALC.5814100	5	8	16/45	100	1
BT.ALC.6814100	6	8	16/45	100	1
BT.ALC.8830100	8	8	30	100	1
BT.ALC.8860100	8	8	30/60	100	1
BT.ALC.8101480	8	10	14	80	1
BT.ALC.101030100	10	10	30	100	1
BT.ALC.101014120	10	10	14	120	1

Solid Carbide Single Flute Cutter For Copy Routers



ORDER NO.	C.D. (mm)	S.D. mm	C.L. mm	O.A.L. mm	Z
BT.SFS.3.12.6.60	3	6	12	60	1
BT.SFS.4.14.6.60	4	6	14	60	1
BT.SFS.5.14.6.60	5	6	14	60	1
BT.SFS.6.14.6.60	6	6	14	60	1

ORDER NO.	C.D. (mm)	S.D. mm	C.L. mm	O.A.L. mm	Z
BT.SFS.5.14.6.80	5	6	14	80	1
BT.SFS.6.14.6.80	6	6	14	80	1

Solid Carbide Single Flute Cutter For Copy Routers



ORDER NO.	C.D. (mm)	S.D. mm	C.L. mm	O.A.L. mm	Z
BT.SFS.4.14.8.80	4	8	12	80	1
BT.SFS.5.14.8.80	5	8	14	80	1
BT.SFS.6.14.8.80	6	8	14	80	1
BT.SFS.8.14.8.80	8	8	14	80	1

ORDER NO.	C.D. (mm)	S.D. mm	C.L. mm	O.A.L. mm	Z
BT.SFS.10.14.10.80	10	10	14	80	1
BT.SFS.10.25.10.100	10	10	25	100	1

TCT Saw Blade For Aluminum & -PVC Cutting

Tct Saw Blade To Cut Non-ferrous Metals



Application: For Cutting And Dividing Tubes, Drawn Products And Aluminum & U-pvc Profile

Machines: Table Saw, Single or Double Miter Saws With Mechanical Clamping of The Piece.

Features: Flat - Triple Chip Tooth With Negative Cutting Angle. Material: Aluminum, U-pvc, Non-ferrous Metal

ORDER NO.	DIA. (mm)	Thick mm	Bore mm	Teeth	TOOTH TYPE	PIN HOLE	TOOTH SHAPE
BT.AS.108032-I	250	3.2	30	80	TC neg.	2/10/60	
BT.AS.129632-I	300	3.2	30	96	TC neg.	2/10/60	
BT.AS.1212032-I	300	3.2	30	120	TC neg.	2/10/60	
BT.AS.1410834-I	350	3.4	30	108	TC neg.	2/10/60	
BT.AS.169640-I	400	4	30	96	TC neg.	2/11/63	
BT.AS.1712040-I	420	4	30	120	TC neg.	2/11/63	
BT.AS.1810840-I	450	4	30	108	TC neg.	2/11/63	
BT.AS.2012042-I	500	4.2	30	120	TC neg.	2/11/63	
BT.AS.2212044-I	550	4.4	30	120	TC neg.	2/11/63	

DP9(PCD) Saw Blade For Aliminum & UPVC Cutting

ORDER NO.	DIA. (mm)	Thick mm	Bore mm	Teeth	TOOTH TYPE	PIN HOLE	TOOTH SHAPE
BTD.AS.1612040	400	4	30	120	TC neg.	2-11-63	
BTD.AS.1812040	450	4	30	120	TC neg.	2-11-63	
BTD.AS.2012044	500	4.4	30	120	TC neg.	2-11-63	
BTD.AS.2212044	550	4.4	30	120	TC neg.	2-11-63	

BASCO TOOL PVT LTD
www.bascotool.in

Solid Carbide Single Flute Cutter For Copy Routers



Application: Sizing And Cross Cut In Profiles, Plates, Blocks, Rods


Material: Aluminium, Copper Alloy (e.g. Brass), Plastic Material

Machines: Double mitre saw, sizing saw, CNC machining center, automatic clipping saw

Design: Rigid Design, Noise Reduced, Various Numbers Of Teeth For A Variety Of Applications, Improved Tc Quality; Smooth And Vibration-free Cuts Due To Optimized Saw Body Design Ensures Excellent Cutting Quality.

Tooth: Triple-chip flat tooth, positive (FT), HW

Feed: MAN / MEC



D (mm)	B (mm)	b mm	d mm	NL	Z	TOOTH SHAPE	ORDER NO.
250	3.2	2.5	30	NLK	80	TF (ALU)	4025030
300	3.2	2.5	30	NLK	96	TF (ALU)	4030030
300	3.2	2.5	30	NLK	120	TF (ALU)	4030530
350	3.2	2.5	30	NLK	108	TF (ALU)	4035030
400	3.6	3	30	2-11-63	120	TF (ALU)	4040041
450	3.8	3.2	30	2-11-63	108	TF (ALU)	4045030
450	4.4	3.8	30	2-11-63	120	TF (ALU)	4045032
500	4	3.4	30	2-11-63	120	TF (ALU)	4050029
500	4	3.4	32	2-11-63	120	TF (ALU)	004050029-32
550	4.4	3.8	30	2/11/63 & 2/14/85	110	TF (ALU)	4055032
600	4.6	4	30	2-11-63	138	TF (ALU)	4060030

Bead Cutting Blade




USED IN :
PVC Glass Bead Cutting Machine







Code	DIA	THICK	BORE	TEETH
BT-601	200	2	32	90
BT-602	100	4	32	90


End Milling Cutter Set For UPVC




End Milling Cutter Set For UPVC


Corner Cleaning Cutter Set For UPVC Profile



Corner Cleaning Cutter Set For UPVC Profile

Corner Cleaning Cutter Set For UPVC Profile











End Milling Single Cutter For Aluminum Profile









ORDER NO.	DIA (mm)	BORE mm	THICK mm	Z mm
BT.AEM.800512	80	30/32/40	5	12
BT.AEM.800612	80	30/32/40	6	12
BT.AEM.800812	80	30/32/40	8	12
BT.AEM.801012	80	30/32/40	10	12
BT.AEM.801212	80	30/32/40	12	12
BT.AEM.801512	80	30/32/40	15	12

APPLICATION
Machine : End Milling Machine
Material : Aluminium Section (Profile)

End Milling Single Cutter For Aluminum Profile



ORDER NO.	DIA (mm)	BORE mm	THICK mm	Z mm
BT.AEM.1000512	100	30/32/40	5	12
BT.AEM.1000612	100	30/32/40	6	12
BT.AEM.1000812	100	30/32/40	8	12
BT.AEM.1001012	100	30/32/40	10	12
BT.AEM.1001212	100	30/32/40	12	12
BT.AEM.1001512	100	30/32/40	15	12

APPLICATION
Machine : End Milling Machine
Material : Aluminium Section (Profile)

End Milling Single Cutter For Aluminum Profile



ORDER NO.	DIA (mm)	BORE mm	THICK mm	Z mm
BT.AEM.1300512	130	30/32/40	5	12
BT.AEM.1300612	130	30/32/40	6	12
BT.AEM.1300812	130	30/32/40	8	12
BT.AEM.1301012	130	30/32/40	10	12
BT.AEM.1301212	130	30/32/40	12	12
BT.AEM.1301512	130	30/32/40	15	12

APPLICATION
Machine : End Milling Machine
Material : Aluminium Section (Profile)

BASCO TOOL PVT LTD
www.bascotool.in

End Milling Single Cutter For Aluminum Profile




ORDER NO.	DIA (mm)	BORE mm	THICK mm	Z mm
BT.AEM.1500512	150	30/32/40	5	12
BT.AEM.1500612	150	30/32/40	6	12
BT.AEM.1500812	150	30/32/40	8	12
BT.AEM.1501012	150	30/32/40	10	12
BT.AEM.1501212	150	30/32/40	12	12
BT.AEM.1501512	150	30/32/40	15	12

APPLICATION
Machine : End Milling Machine
Material : Aluminium Section (Profile)

End Milling Cutter Set For Aluminum Profile









APPLICATION
Machine : End Milling Machine
Material : Aluminium Section (Profile)
Features : Cutter Set with Screw System for Easy Maintain & Replace

NOTE : According Profile Require AutoCAD Drawing or Aluminium Profile Sample Would you like me to elaborate on the meaning of any of these technical specifications or terms?







Cleat



Code	SIZE	WEIGTH
BT-4050	40mm	0.050KG



Code	SIZE	WEIGTH
BT-3560	35mm	0.060KG



Code	SIZE	WEIGTH
BT-3580	35mm	0.080KG



Code	SIZE	WEIGTH
BT-2740	27mm	0.040KG

BASCO TOOL PVT LTD
www.bascotool.in

Cleat



Code	SIZE	WEIGTH
BT-2860	28mm	0.060KG



Code	SIZE	WEIGTH
BT-2240	22mm	0.040KG



Code	SIZE	WEIGTH
BT-1740	17mm	0.040KG

Glazing Bead Blocks for UPVC Bead Profile

Used in : Bead Cutting Machine

