


智能制造让工厂更像展览馆
工人更像巡视员
老板活得更加有尊严

Intelligent manufacturing makes the factory more like an exhibition hall,
The workers are more like a patrol,
And the boss lives more dignified.

系统门窗玻璃整厂智能连线案例
SYSTEM DOOR AND WINDOW GLASS FACTORY INTELLIGENT CONNECTION CASE

GSM30**MJ-EA-[L/II选配] 系列/SERIES

Intelligent High-Speed Precision Grinding and Polishing Integrated Machine (30 Spindles)


智能高速精磨圆角抛光一体机（30磨头）

> 可加工展柜、超大板、家私、鱼缸、水晶面玻璃

> Display glass, oversized glass, furniture, fish tanks, crystal glass

速度快 High speed　精度高 High precision　操作简单 Simple operation





圆角抛光图
Including Round Corner Polishing




主传动双伺服
Main drive dual servo



上下倒角手自一体结构
Self-assembled Structure With Upper And Lower Chamfering



粗磨/抛光底边
手自一体结构
Rough Grinding/Bottom Edge Self-assembley Structure



上压紧架伺服升降结构
Upper pressing rack lifting structure



除膜伺服自动升降结构
（LOW-E玻璃）选配
Film Removal Structure (low-e Glass) Optional



含抛光倒圆角结构(选配)
with polished round corner structure(Optional)



GSM30**MJ-EA-II (含圆角抛光)系列磨轮布置示意图
GSM30**MJ-EA- II (with round corner polished) series grinding wheel layout diagram



GSM30** MJ-EA系列磨轮布置示意图
GSM30** MJ-EA Series Grinding Wheel Layout Diagram



GSM28** MJ-EA-L系列磨轮布置示意图
GSM28** MJ-EA-L Series Grinding Wheel Layout Diagram

GSM22**MJ-EB/EA/E-[L/II选配]系列/SERIES

(2520/3025/3625/4025/4030/4530/5030/6030/7033/8033/9033)

Intelligent High-Speed Double-sided Grinding Machine (Manual and Automatic Combined)

智能高速精磨双边机（手自一体）

> 全散单5片/分钟（EB型）
> 精磨速度40米/分钟(EB型)
> 原片玻璃厚度6mm
> 单边磨削量1mm
> 淋浴房标准


> Full dispersion 5 Piece min (EB type)
> Process Speed 40 (EB type)m/min
> Glass thickness 6 mm
> Unilateral grinding allowance 1 mm
> Shower door standard

产品描述：


> 适用于平板建筑玻璃、淋浴房玻璃、家具玻璃及家电玻璃等行业玻璃的加工；
> 开合12米/分钟，主传动40/30米/分钟（EB/EA型）20米/分钟（E型），高速高精度磨边，产能倍增；
> 即可高速粗磨又可高速精磨，一机两用；配备四高三低电机（高转速、高精度、高刚性、高寿命、低能耗、低温升、低噪音）

Product descriptions:

> It is suitable for the processing of flat glass, shower glass, furniture glass and household appliance glass.
> Opening and closing 12 meters/min, the main drive 40/30 meters/min(EB/EA Type) 20m/min (E Type), high speed and high precision edge grinding, production capacity doubling;
> Can be high speed coarse grinding and high speed fine grinding, one machine for both purposes; Equipped with four three low motor (high speed, high precision, high rigidity, high life, low energy consumption, low temperature rise, low noise)





主传动双伺服
Main drive dual servo


上下倒角手自一体结构
Self-assembled Structure With Upper And Lower Chamfering


粗磨/抛光底边
手自一体结构
Rough Grinding/Bottom Edge Self-assembley Structure


上压紧架伺服升降结构
Upper pressing rack lifting structure


除膜伺服自动升降结构
（LOW-E玻璃）选配
Film Removal Structure (low-e Glass) Optional


含抛光倒圆角结构(选配)
with polished round corner structure(Optional)


GSM24**MJ-EA-II(含圆角抛光)系列磨轮布置示意图
GSM24**MJ-EA-II (with round corner polished) series grinding wheel layout diagram


GSM22**MJ-EA/E-L系列磨轮布置示意图
GSM22**MJ-EA/E-L series grinding wheel layout diagram


GSM24**MJ-C系列磨轮布置示意图
GSM24**MJ-C series grinding wheel layout diagram